

BELL COMPANY, INC.

SIGNS & ENGRAVING SUPPLY CATALOG




Engraving
Materials




Name
Badges



Quality & Service Since 1946



CNC & Laser
Capabilities



Computerized
Engravers



Screen
Printing

Celebrating Over 74 Years in the Engraving Marking & Signage Industry

8327 Parkway Drive - Leeds AL 35094

Phone (205) 702-6460 Fax (205) 702-6004

www.bellcoinc.com

© copyright 2020

TABLE OF CONTENTS

Engraving Materials

*Flexible Plastic Materials - The Satins - MicroThin - LaserGrav
Weatherall - Engraver's Brass - Anodized Aluminum - Engravable Tags*

4-18

Badges - NEW Direct Color Badges

Hotstamped Logo Badges - Findings - Badge Blanks

21-24

Engraving Machines & Equipment

*Manual & Computerized Systems
Master Type - Jigs - Bevelers - Shears - Safety Saws - Bender - Corner Rounders*

25-32

Engraving Cutters

Cutters for Machines & Cutter Sharpening Service

33-34

Tools to Enhance Your Engraving

*Calipers - Depth Gauge - Paint Filling Tool - Adhesives
Velcro - Bead Chain, etc.*

35-40

Holders & Other Specialty Items

*Holders - Bases - Frames - Handicapped Signs - Posts
A.D.A. Signage - Laser Cut Acrylic Letters - Acrylic Logos*

41-48


Our Leaders

*Over the past 74 years, we have had the pleasure of serving you and your company.
The sales staff of Bell Company, Inc. appreciates you and your business and looks
forward to serving you again in the future.*

Feel free to call upon us for all of your engraving supply and signage needs.



Christopher Bell
President
ADA Sign Specialist



Tina Kirk
General Manager/
ADA Sign Specialist




Brandon Crow
Sales Department




Lauren Hillgartner
Graphic Arts
Estimating Department



Celina Jackson
ADA Sign Specialist



Jeff Davenport
Graphic Designer



Teresa Harris
Customer Service



Sharon Headley
Customer Service/
Accounts Receivable



Robert Snell
Computer Sales/
Systems Operator

Terms & Contitions:

To Open An Account: Please forward 3 trade references and 1 bank reference to our credit department. Please allow 2 weeks for thorough credit checks on new accounts. Orders can be shipped C.O.D. until credit is established.

New Accounts: All orders placed on new accounts require prepayment by either Check, Cashier's Check, Money Order, Visa or Mastercard. New Accounts that ship C.O.D. will be sent C.O.D. Cash Only. **Terms:** Terms are Net 30 Days after credit is established. A Service charge of 1.9% per month will be assessed on all past due accounts. Habitual Past Due Accounts will revert to C.O.D. - Any customer who issues an insufficient funds check will automatically be placed on *Prepayment Only* status.

Please Read Before Placing Your Order:

1. Give your complete billing address, shipping address, contact person, purchase order, telephone number and fax number.
2. Order by catalog number, state discription, quantity, size, etc.
3. **Orders that have custom engraving must have spelling faxed in or emailed in to ensure accuracy.**
4. Since cut pieces, custom made & special orders cannot be returned, please fax or email the following:
 - a. verify accuracy of drawing
 - b. supply camera ready artwork
 - c. note any special instructions (i.e. hole size, placement, radius of corners, etc.)
5. Bell Company pays for delivery within the Continental United States by U.P.S. ground service only on all orders over \$100.00 that are paid for in advance. This does not include packages over 70 lbs.
6. Prior authorization must be obtained for returned items which will be subject to a 20% restocking charge. You have 10 days to return merchandise from the date authorization was received in order to receive a credit.
7. Any claims for shortage or damage must be made within 10 days.
8. Minimum orders are \$50.00 and a handling charge will be added to any order under this amount.
9. Since Freight Terms are F.O.B. shipping point (Leeds, AL), all freight and handling charges will be added to all shipments, except for those that are prepaid over \$100.00.
10. A \$30.00 charge will be made on all returned checks and the account will be put on a "C.O.D. Cash" rating.
11. All prices in this catalog are subject to change without notice.
12. **Any customer wishing to us UPS Consignee Billing and/or Third Party Billing will be charged \$10.00 per order shipped.**
13. Limited Warranty & Disclaimer: Claims concerning any defect must be made in writing to Bell Company, Inc. {"Seller"} and sent to Seller no later than thirty days from date of invoice. **The requirement of written notice cannot be waived.** No warranties are made by Seller except as may be contained in an invoice respecting a particular item. The limited warranty that may be expressed in any such invoice is exclusive and in lieu of any implied warranty of merchantability, fitness for a particular purpose, or other warranty, express or implied, all of which are waived by Buyer. The liability of Seller for breach of any warranty is limited to the repair or replacement of goods on which liability is based. Seller shall not be liable for indirect, incidental or consequential damages, including but not being limited to loss of use, revenue or profit. There are no warranties that extend beyoned the description of the goods contain- ed in this catalog and only such warranties are given as are expressly set out in the invoice for such goods. Any verbal statements or understandings are merged into any purchase order or invoice submitted and accepted by Buyer.

Hotstamping Foils

Foil Colors to use for stamping on Plastic Badges & A.D.A. Signs painted with Acrylic Polyurethane. Available in the following colors: White, Black, Lt. Blue, Med. Blue, Dk. Blue, Navy, Tan, Lt. Beige, Yellow, Med. Green, Dk. Green, Red, Purple, Burgundy, Brown, Lt. Gray, Med. Gray, Dk. Gray, Brushed Gold & Brushed Silver.

Call for a color chart!

200' rolls: 3" 6" 12" 24" Custom cut available



COLOR CHART

Laser | Rotary | Print

Product Material Selection

Rowmark's QMS is ISO 9001 certified



COLORHUES™ & COLORHUES^{EFX} **NEW**



Flamingo* Translucent ● CH341-690 1-ply 1/8"	Lemon Zest* Translucent ● CH341-700 1-ply 1/8"	Citron* Translucent ● CH341-720 1-ply 1/8"	Ice Blue* Translucent ● CH341-500 1-ply 1/8"	Glass Green* Translucent CH341-900 1-ply 1/8"	Clear* Translucent CH341-100 1-ply 1/8" CH351-100 1-ply 1/4"	Clear Matte Translucent CH341-101 1-ply 1/8" CH351-101 1-ply 1/4"
Poppy Translucent CH341-601 1-ply 1/8" CH351-601 1-ply 1/4"	Passion Fruit Translucent CH341-621 1-ply 1/8" CH351-621 1-ply 1/4"	Cherry Blossom Translucent CH341-611 1-ply 1/8"	Phantom Translucent CH341-211 1-ply 1/8" CH351-211 1-ply 1/4"	Daffodil Translucent CH341-721 1-ply 1/8" CH351-721 1-ply 1/4"	Citrus Translucent CH341-701 1-ply 1/8"	Kiwi Translucent CH341-931 1-ply 1/8" CH351-931 1-ply 1/4"
Caribbean Translucent CH341-921 1-ply 1/8" CH351-921 1-ply 1/4"	Pacific Translucent CH341-551 1-ply 1/8"	Wedgewood Translucent CH341-541 1-ply 1/8" CH351-541 1-ply 1/4"	Rain Drop Translucent CH341-531 1-ply 1/8"	Powder Translucent CH341-511 1-ply 1/8"	Glacier Translucent CH341-521 1-ply 1/8"	Wisteria Translucent CH341-581 1-ply 1/8"
Smoke Translucent CH341-441 1-ply 1/8"	Scarlet Opaque CH341-631 1-ply 1/8"	Pomegranate Opaque CH341-661 1-ply 1/8"	Mango Opaque CH341-651 1-ply 1/8"	Citronella Opaque CH341-791 1-ply 1/8"	Emerald Opaque CH341-991 1-ply 1/8"	Envy Opaque CH341-961 1-ply 1/8"
Cobalt Opaque CH341-501 1-ply 1/8"	Luxe Blue Opaque CH341-571 1-ply 1/8"	Storm Grey Opaque CH341-301 1-ply 1/8"	Cocoa Opaque CH341-803 1-ply 1/8"	Bisque Opaque CH341-831 1-ply 1/8"	Crème Brûlée Opaque CH341-221 1-ply 1/8"	White Opaque CH341-201 1-ply 1/8" CH351-201 1-ply 1/4"
Black Opaque CH341-401 1-ply 1/8" CH351-401 1-ply 1/4"	Black/Flamingo EFX CH342-496 2-ply 1/8"	Black/Lemon Zest EFX CH342-407 2-ply 1/8"	Black/Citron EFX CH342-427 2-ply 1/8"	Black/Poppy EFX CH342-406 2-ply 1/8"	Black/Passion Fruit EFX CH342-426 2-ply 1/8"	Black/Daffodil EFX CH342-417 2-ply 1/8"
Black/Kiwi EFX CH342-439 2-ply 1/8"	Black/Pacific EFX CH342-455 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

Material
Cell cast acrylic (PMMA)

Finish
Matte non-glare (1 side)
Gloss (1 side)
*Gloss both sides
● Edge Glow

Sheet Size
24-1/8" x 48-1/2" +0, -.125" //
613mm x 1225mm

Engraving Depth
ColorHues N/A (Single ply)
EFX .003" // .08mm

Gauge
1/8" +/- 0.016 // .4mm
1/4" +/- .032 // .8mm

Usage ColorHues

Interior signage
Exterior signage
Tactile signage
Signage component or substrate
Craft and artistry projects

Usage EFX

Interior signage
Restaurant/pub signage & displays
Retail environments
Illuminated wayfinding & directories
Point-of-purchase

Capabilities ColorHues

Scores	Laser Vector Cuts	Saws
Drills	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Paintfill
Back-lighting	Braille-engraversable	Thermal Prints
Sandblasts	UV-LED Printable	ADA Tactile

Capabilities EFX

Scores	Laser Vector Cuts	Saws
Drills	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Paintfill
Back-lighting	Braille-engraversable	Thermal Prints
Sandblasts		



HARDWOOD COLLECTION™ NEW

Cherry	Maple	Red Oak	Walnut	Mahogany
RW1224-125CHE 1/8" RW1824-125CHE 1/8" RW1224-250CHE 1/4" RW1824-250CHE 1/4"	RW1224-125MAP 1/8" RW1824-125MAP 1/8" RW1224-250MAP 1/4" RW1824-250MAP 1/4"	RW1224-125OAK 1/8" RW1824-125OAK 1/8" RW1224-250OAK 1/4" RW1824-250OAK 1/4"	RW1224-125WAL 1/8" RW1824-125WAL 1/8" RW1224-250WAL 1/4" RW1824-250WAL 1/4"	RW1224-125MAH 1/8" RW1824-125MAH 1/8" RW1224-250MAH 1/4" RW1824-250MAH 1/4"

TECHNICAL SPECIFICATIONS

Material

Hardwood Layered Veneers

Finish

Natural/Unfinished

Sheet Size

12" x 24" // 305mm x 610mm
18" x 24" // 457mm x 610mm

Engraving Depth

N/A (Single ply)

Usage

Interior signage
Craft and artistry projects
Signage component or substrate

Capabilities

Saws
Hot Stamps
Sandblasts
Drills
Bonds
Screen Prints
Colorfill

REFLEXIONS NEW



Silver Mirror	Ice Silver Mirror	Platinum Mirror	Carbon Mirror	Bronze Mirror	Gold Mirror	Ice Gold Mirror
RM942-340 2-ply 1/8"	RM942-341 2-ply 1/8"	RM942-351 2-ply 1/8"	RM942-300 2-ply 1/8"	RM942-870 2-ply 1/8"	RM942-730 2-ply 1/8"	RM942-731 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

Material

Cell cast acrylic (PMMA)

Finish

Frosted matte non-glare (1 side)
Mirrored (1 side)

Sheet Size

24" x 48" +.1875" -.0" // 610mm x 1219mm

Engraving Depth

.012" // 0.30mm

Usage

Interior signage
Exterior signage
Signage component or substrate
Craft and artistry projects

Capabilities

Scores
Bevels
Hot Stamps
Paintfill
Sandblasts
Saws
Heat Bendable
Bonds
Back-lighting
Drills
Screen Prints
Fine Detail
Thermal Prints

COLORSHOP WOODS™ NEW



Blue Jay	Plum	Blush	Cardinal	Clementine	Sunflower	Sage
CW1212-125BLJ 1/8" CW1224-125BLJ 1/8"	CW1212-125PLM 1/8" CW1224-125PLM 1/8"	CW1212-125BLS 1/8" CW1224-125BLS 1/8"	CW1212-125CAR 1/8" CW1224-125CAR 1/8"	CW1212-125CLM 1/8" CW1224-125CLM 1/8"	CW1212-125SUN 1/8" CW1224-125SUN 1/8"	CW1212-125SAG 1/8" CW1224-125SAG 1/8"
Merlot	Night Shade	Raven	Wheat	Denim	Moss	Goldenrod
CW1212-125MER 1/8" CW1224-125MER 1/8"	CW1212-125NTS 1/8" CW1224-125NTS 1/8"	CW1212-125RAV 1/8" CW1224-125RAV 1/8"	CW1212-125WHE 1/8" CW1224-125WHE 1/8"	CW1212-125DNG 1/8" CW1224-125DNG 1/8"	CW1212-125MSG 1/8" CW1224-125MSG 1/8"	CW1212-125GRG 1/8" CW1224-125GRG 1/8"
Raisin	Cider	Mocha	Dovetail	Whitewash	Graphite	
CW1212-125RSG 1/8" CW1224-125RSG 1/8"	CW1212-125CDG 1/8" CW1224-125CDG 1/8"	CW1212-125MOG 1/8" CW1224-125MOG 1/8"	CW1212-125DTG 1/8" CW1224-125DTG 1/8"	CW1212-125WWG 1/8" CW1224-125WWG 1/8"	CW1212-125GPG 1/8" CW1224-125GPG 1/8"	

TECHNICAL SPECIFICATIONS

This product is masked on both sides. As with any natural wood product, there may be slight color variations from sheet to sheet and lot to lot. Actual milled sheet size is 11-7/8" x 23-3/16" and 11-7/8" x 11-7/8" with a 1/16" tolerance.

Material

Hardwood layered veneers

Finish

Satin Wood Finish
Grain Wood Finish ▲

Sheet Size

12" x 12" +.0" -.125" // 305mm x 305mm
12" x 24" +.0" -.125" // 305mm x 610mm

Engraving Depth

.005" // 0.13mm

Usage

Interior signage
Craft and artistry projects
Signage component or substrate

Capabilities

Bonds
Hot stamps
Paint fill
Screen prints
Drills
Laser vector cuts
Saws
UV-printable



ColorShop Woods™
Assorted

ColorShop Woods™
Raven & Blue Jay



Hardwood Collection™
Assorted



ColorShop Woods™
Merlot



Hardwood Collection™
Red Alder

Natural Wood Materials from Rowmark

With nearly 30 real-wood finishes for both laser and rotary engraving, Rowmark offers you a complete line of unique wood products.

Available through Authorized Rowmark Distributors Worldwide



Phone (205) 702-6460 Fax (205) 702-6004 www.bellcoinc.com



ROTARY ENGRAVING MATERIALS

MATTES



Red/ White	Burgundy/ White	Orange/ White	Yellow/ Black	Bright Green/ White	Celadon Green/ White	Pine Green/ White	Light Blue/ White	Sapphire/ White
212-602 2-ply 1/32" 222-602 2-ply 1/16" 223-602 3-ply 1/16" 243-602 3-ply 1/8"	222-622 2-ply 1/16" 243-622 3-ply 1/8"	222-612 2-ply 1/16" 243-612 3-ply 1/8"	212-744 2-ply 1/32" 222-744 2-ply 1/16" 223-744 3-ply 1/16" 243-744 3-ply 1/8"	212-932 2-ply 1/32" 222-932 2-ply 1/16" 223-932 3-ply 1/16" 243-932 3-ply 1/8"	222-972 2-ply 1/16" 243-972 3-ply 1/8"	222-912 2-ply 1/16" 243-912 3-ply 1/8"	222-562 2-ply 1/16" 243-562 3-ply 1/8"	222-502 2-ply 1/16" 243-502 3-ply 1/8"
Blue/ White	Navy Blue/ White	China Blue/ White	Purple/ White	Almond/ Black	Ivory/ Dark Brown	Med. Brown/ White	Dark Brown/ White	White/ Red
212-512 2-ply 1/32" 222-512 2-ply 1/16" 223-512 3-ply 1/16" 243-512 3-ply 1/8"	222-552 2-ply 1/16" 243-552 3-ply 1/8"	222-382 2-ply 1/16" 243-382 3-ply 1/8"	222-582 2-ply 1/16" 243-582 3-ply 1/8"	222-854 2-ply 1/16" 243-854 3-ply 1/8"	222-228 2-ply 1/16" 243-228 3-ply 1/8"	222-822 2-ply 1/16" 243-822 3-ply 1/8"	222-842 2-ply 1/16" 243-842 3-ply 1/8"	212-206 2-ply 1/32" 222-206 2-ply 1/16" 243-206 3-ply 1/8"
White/ Burgundy	White/ Bright Green	White/ Blue	White/ Black	Light Grey/ Burgundy	Light Grey/ Marine Blue	Light Grey/ Black	Grey/ White	Black/ White
222-226 2-ply 1/16" 243-226 3-ply 1/8"	222-209 2-ply 1/16" 243-209 3-ply 1/8"	212-205 2-ply 1/32" 222-205 2-ply 1/16" 243-205 3-ply 1/8"	212-204 2-ply 1/32" 222-204 2-ply 1/16" 223-204 3-ply 1/16" 243-204 3-ply 1/8"	222-326 2-ply 1/16" 243-326 3-ply 1/8"	222-325 2-ply 1/16" 243-325 3-ply 1/8"	222-324 2-ply 1/16" 243-324 3-ply 1/8"	222-312 2-ply 1/16" 243-312 3-ply 1/8"	212-402 2-ply 1/32" 222-402 2-ply 1/16" 223-402 3-ply 1/16" 243-402 3-ply 1/8"
Black/ Bright White	Walnut/ White	English Walnut/ Bright White	Black Walnut/ White					
222-412 2-ply 1/16" 243-412 3-ply 1/8"	222-172 2-ply 1/16" 243-172 3-ply 1/8"	222-192 2-ply 1/16" 243-192 3-ply 1/8"	222-002 2-ply 1/16" 243-002 3-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material
Microsurfaced ABS

Finish
Matte non-glare
Patterned

Sheet Size
24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth
.003" // 0.08mm

Usage
Interior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores	Saws	Drills
Bevels	Heat Bendable	Screen Prints
Hot Stamps	Bonds	Fine Detail
Thermal Prints	Shears	Sandblasts

LACQUERS



Red/ White	Yellow/ Black	Safety Yellow/ Black	Bright Green/ White	Teal/ White	Blue/ White	Sapphire/ White	White/ Red	White/ Blue
422-602 2-ply 1/16" 442-602 2-ply 1/8"	422-704 2-ply 1/16" 442-704 2-ply 1/8"	422-794 2-ply 1/16" 442-794 2-ply 1/8"	422-932 2-ply 1/16" 442-932 2-ply 1/8"	422-962 2-ply 1/16" 442-962 2-ply 1/8"	422-512 2-ply 1/16" 442-512 2-ply 1/8"	422-562 2-ply 1/16" 442-562 2-ply 1/8"	422-206 2-ply 1/16" 442-206 2-ply 1/8"	422-205 2-ply 1/16" 442-205 2-ply 1/8"
White/ Black	Black/ White	Vintage Gold/ Black	Vintage Silver/ Black					
422-204 2-ply 1/16" 442-204 2-ply 1/8"	422-402 2-ply 1/16" 442-402 2-ply 1/8"	422-774 2-ply 1/16" 442-774 2-ply 1/8"	422-384 2-ply 1/16" 442-384 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material
Laminated impact acrylic

Finish
Gloss

Sheet Size
24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth
.012" // 0.30mm

Usage
Interior signage
Exterior signage
Personal identification

Capabilities

Saws	Drills	UV Stable
Shears	Bevels	
Bonds	Heat Bendable	
Screen Prints	Hot Stamps	
Thermal Prints	Laser Vector Cuts	

ULTRA-MATTES *Front Engravable*



Red/White	Red/Yellow	Dusty Rose/White	Ruby/White	Garnet/Ash	Canyon/Ash	Canyon/Cement	Yellow/Black	Safety Yellow/Black
322-602 2-ply 1/16" 342-602 2-ply 1/8" 343-602 3-ply 1/8"	322-607 2-ply 1/16" 342-607 2-ply 1/8" 343-607 3-ply 1/8"	322-662 2-ply 1/16" 342-662 2-ply 1/8" 343-662 3-ply 1/8"	322-632 2-ply 1/16" 342-632 2-ply 1/8" 343-632 3-ply 1/8"	322-642 2-ply 1/16" 342-642 2-ply 1/8" 343-642 3-ply 1/8"	322-862 2-ply 1/16" 342-862 2-ply 1/8" 343-862 3-ply 1/8"	322-823 2-ply 1/16" 342-823 2-ply 1/8" 343-823 3-ply 1/8"	322-704 2-ply 1/16" 342-704 2-ply 1/8" 343-704 3-ply 1/8"	322-794 2-ply 1/16" 342-794 2-ply 1/8" 343-794 3-ply 1/8"
Bright Green/White	Celadon Green/White	Hunter Green/White	Hunter Green/Gold	Black Forest Green/White	Sea Grey/White	Balsam/Ash	Teal/White	Ocean Blue/White
322-932 2-ply 1/16" 342-932 2-ply 1/8" 343-932 3-ply 1/8"	322-972 2-ply 1/16" 342-972 2-ply 1/8" 343-972 3-ply 1/8"	322-992 2-ply 1/16" 342-992 2-ply 1/8" 343-992 3-ply 1/8"	322-997 2-ply 1/16" 342-997 2-ply 1/8" 343-997 3-ply 1/8"	322-902 2-ply 1/16" 342-902 2-ply 1/8" 343-902 3-ply 1/8"	322-312 2-ply 1/16" 342-312 2-ply 1/8" 343-312 3-ply 1/8"	322-942 2-ply 1/16" 342-942 2-ply 1/8" 343-942 3-ply 1/8"	322-962 2-ply 1/16" 342-962 2-ply 1/8" 343-962 3-ply 1/8"	322-592 2-ply 1/16" 342-592 2-ply 1/8" 343-592 3-ply 1/8"
Blue/White	Blue/Yellow	Sapphire/White	Blueberry/Gold	Blueberry/White	China Blue/White	Ash/Garnet	Ash/Cinder	Sandalwood/Canyon
322-512 2-ply 1/16" 342-512 2-ply 1/8" 343-512 3-ply 1/8"	322-517 2-ply 1/16" 342-517 2-ply 1/8" 343-517 3-ply 1/8"	322-562 2-ply 1/16" 342-562 2-ply 1/8" 343-562 3-ply 1/8"	322-527 2-ply 1/16" 342-527 2-ply 1/8" 343-527 3-ply 1/8"	322-542 2-ply 1/16" 342-542 2-ply 1/8" 343-542 3-ply 1/8"	322-382 2-ply 1/16" 342-382 2-ply 1/8" 343-382 3-ply 1/8"	322-246 2-ply 1/16" 342-246 2-ply 1/8" 343-246 3-ply 1/8"	322-244 2-ply 1/16" 342-244 2-ply 1/8" 343-244 3-ply 1/8"	322-218 2-ply 1/16" 342-218 2-ply 1/8" 343-218 3-ply 1/8"
Sandalwood/Balsam	Parchment/Black	Ivory/Dark Brown	Beige/White	Beige/Dark Brown	Taupe/White	Driftwood/Alpine	White/Red	White/Blue
322-219 2-ply 1/16" 342-219 2-ply 1/8" 343-219 3-ply 1/8"	322-814 2-ply 1/16" 342-814 2-ply 1/8" 343-814 3-ply 1/8"	322-228 2-ply 1/16" 342-228 2-ply 1/8" 343-228 3-ply 1/8"	322-832 2-ply 1/16" 342-832 2-ply 1/8" 343-832 3-ply 1/8"	322-838 2-ply 1/16" 342-838 2-ply 1/8" 343-838 3-ply 1/8"	322-802 2-ply 1/16" 342-802 2-ply 1/8" 343-802 3-ply 1/8"	322-595 2-ply 1/16" 342-595 2-ply 1/8" 343-595 3-ply 1/8"	322-206 2-ply 1/16" 342-206 2-ply 1/8" 343-206 3-ply 1/8"	322-205 2-ply 1/16" 342-205 2-ply 1/8" 343-205 3-ply 1/8"
White/Black	White/Gold	Cement/Garnet	Cement/Canyon	Graphite/White	Cinder/Clay	Cinder/White	Charcoal Grey/White	Dark Brown/White
322-204 2-ply 1/16" 342-204 2-ply 1/8" 343-204 3-ply 1/8"	322-217 2-ply 1/16" 342-217 2-ply 1/8" 343-217 3-ply 1/8"	322-236 2-ply 1/16" 342-236 2-ply 1/8" 343-236 3-ply 1/8"	322-238 2-ply 1/16" 342-238 2-ply 1/8" 343-238 3-ply 1/8"	322-392 2-ply 1/16" 342-392 2-ply 1/8" 343-392 3-ply 1/8"	322-413 2-ply 1/16" 342-413 2-ply 1/8" 343-413 3-ply 1/8"	322-432 2-ply 1/16" 342-432 2-ply 1/8" 343-432 3-ply 1/8"	322-302 2-ply 1/16" 342-302 2-ply 1/8" 343-302 3-ply 1/8"	322-842 2-ply 1/16" 342-842 2-ply 1/8" 343-842 3-ply 1/8"
Black/Silver	Black/White	Black/Yellow	Black/Gold	Vintage Gold/Black	Vintage Silver/Black			
322-423 2-ply 1/16" 342-423 2-ply 1/8" 343-423 3-ply 1/8"	322-402 2-ply 1/16" 342-402 2-ply 1/8" 343-402 3-ply 1/8"	322-407 2-ply 1/16" 342-407 2-ply 1/8" 343-407 3-ply 1/8"	322-417 2-ply 1/16" 342-417 2-ply 1/8" 343-417 3-ply 1/8"	322-774 2-ply 1/16" 342-774 2-ply 1/8" 343-774 3-ply 1/8"	322-384 2-ply 1/16" 342-384 2-ply 1/8" 343-384 3-ply 1/8"			

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal Identification Tactile Signage	Capabilities Saws Laser Vector Cuts Screen Prints UV Stable	Drills Bevels Hot Stamps Braille Engravable	Shears Heat Bendable Bonds Thermal Prints
Finish Matte non-glare	Engraving Depth .012" // 0.30mm				

SLICKERS



Clear/Red	Clear/Yellow	Clear/Sapphire	Clear/White	Clear/Black	Clear/Clear
412-600 2-ply 1/32" 422-600 2-ply 1/16" 442-600 2-ply 1/8"	412-700 2-ply 1/32" 422-700 2-ply 1/16" 442-700 2-ply 1/8"	412-560 2-ply 1/32" 422-560 2-ply 1/16" 442-560 2-ply 1/8"	412-200 2-ply 1/32" 422-200 2-ply 1/16" 442-200 2-ply 1/8"	412-400 2-ply 1/32" 422-400 2-ply 1/16" 442-400 2-ply 1/8"	411-100 1-ply 1/32" 422-100 1-ply 1/16" 442-100 1-ply 1/8"

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic for reverse engraving	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal Identification	Capabilities Saws Laser Vector Cuts Screen Prints UV Stable Thermal Prints	Drills Bevels Hot Stamps Paintfill	Shears Heat Bendable Bonds Back-lighting
Finish Gloss	Engraving Depth .012" // 0.30mm				

ULTRA-MATTES *Reverse Engravable*



Matte/Red	Matte/Dusty Rose	Matte/Ruby	Matte/Canyon	Matte/Orange	Matte/Yellow	Matte/Bright Green	Matte/Celadon Green	Matte/Hunter Green
312-601 2-ply 1/32" 322-601 2-ply 1/16" 342-601 2-ply 1/8"	312-661 2-ply 1/32" 322-661 2-ply 1/16" 342-661 2-ply 1/8"	312-631 2-ply 1/32" 322-631 2-ply 1/16" 342-631 2-ply 1/8"	312-861 2-ply 1/32" 322-861 2-ply 1/16" 342-861 2-ply 1/8"	312-651 2-ply 1/32" 322-651 2-ply 1/16" 342-651 2-ply 1/8"	312-701 2-ply 1/32" 322-701 2-ply 1/16" 342-701 2-ply 1/8"	312-911 2-ply 1/32" 322-911 2-ply 1/16" 342-911 2-ply 1/8"	312-931 2-ply 1/32" 322-931 2-ply 1/16" 342-931 2-ply 1/8"	312-991 2-ply 1/32" 322-991 2-ply 1/16" 342-991 2-ply 1/8"
Matte/Black Forest Green	Matte/Sea Grey	Matte/Teal	Matte/Ocean Blue	Matte/Blue	Matte/Sapphire	Matte/Blueberry	Matte/China Blue	Matte/Beige
312-901 2-ply 1/32" 322-901 2-ply 1/16" 342-901 2-ply 1/8"	312-311 2-ply 1/32" 322-311 2-ply 1/16" 342-311 2-ply 1/8"	312-921 2-ply 1/32" 322-921 2-ply 1/16" 342-921 2-ply 1/8"	312-591 2-ply 1/32" 322-591 2-ply 1/16" 342-591 2-ply 1/8"	312-511 2-ply 1/32" 322-511 2-ply 1/16" 342-511 2-ply 1/8"	312-561 2-ply 1/32" 322-561 2-ply 1/16" 342-561 2-ply 1/8"	312-541 2-ply 1/32" 322-541 2-ply 1/16" 342-541 2-ply 1/8"	312-381 2-ply 1/32" 322-381 2-ply 1/16" 342-381 2-ply 1/8"	312-831 2-ply 1/32" 322-831 2-ply 1/16" 342-831 2-ply 1/8"
Matte/Taupe	Matte/Cinder	Matte/Charcoal Grey	Matte/Dark Brown	Matte/Vintage Gold	Matte/Vintage Silver	Matte/Graphite	Matte/Black	Matte/White
312-801 2-ply 1/32" 322-801 2-ply 1/16" 342-801 2-ply 1/8"	312-431 2-ply 1/32" 322-431 2-ply 1/16" 342-431 2-ply 1/8"	312-301 2-ply 1/32" 322-301 2-ply 1/16" 342-301 2-ply 1/8"	312-841 2-ply 1/32" 322-841 2-ply 1/16" 342-841 2-ply 1/8"	312-731 2-ply 1/32" 322-731 2-ply 1/16" 342-731 2-ply 1/8"	312-371 2-ply 1/32" 322-371 2-ply 1/16" 342-371 2-ply 1/8"	312-391 2-ply 1/32" 322-391 2-ply 1/16" 342-391 2-ply 1/8"	312-401 2-ply 1/32" 322-401 2-ply 1/16" 342-401 2-ply 1/8"	312-201 2-ply 1/32" 322-201 2-ply 1/16" 342-201 2-ply 1/8"
Matte/Ash	Matte/Sandalwood	Matte/Parchment	Matte/Ivory	Matte/Cement	Matte/Driftwood	Matte/Clear		
312-221 2-ply 1/32" 322-221 2-ply 1/16" 342-221 2-ply 1/8"	312-211 2-ply 1/32" 322-211 2-ply 1/16" 342-211 2-ply 1/8"	312-811 2-ply 1/32" 322-811 2-ply 1/16" 342-811 2-ply 1/8"	312-231 2-ply 1/32" 322-231 2-ply 1/16" 342-231 2-ply 1/8"	312-241 2-ply 1/32" 322-241 2-ply 1/16" 342-241 2-ply 1/8"	312-581 2-ply 1/32" 322-581 2-ply 1/16" 342-581 2-ply 1/8"	311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"		

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic for reverse engraving	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification Tactile signage	Capabilities Saws Laser Vector Cuts Screen Prints UV Stable Thermal Prints	Drills Bevels Hot Stamps Paintfill Sandblasts	Shears Heat Bendable Bonds Braille-engraversable
Finish Matte non-glare	Engraving Depth .012" // 0.30mm				

SAFE-T-MARK™



Red/White	Vibrant Orange/Black	Yellow/Black	Bright Green/White	Blue/White	White/Black	Grey/White	Grey/Black	Black/White
FR222-602 2-ply 1/16" FR223-602 3-ply 1/16"	FR222-624 2-ply 1/16" FR223-624 3-ply 1/16"	FR222-744 2-ply 1/16" FR223-744 3-ply 1/16"	FR222-932 2-ply 1/16" FR223-932 3-ply 1/16"	FR222-512 2-ply 1/16" FR223-512 3-ply 1/16"	FR222-204 2-ply 1/16" FR223-204 3-ply 1/16"	FR222-312 2-ply 1/16" FR223-312 3-ply 1/16"	FR222-314 2-ply 1/16" FR223-314 3-ply 1/16"	FR222-402 2-ply 1/16" FR223-402 3-ply 1/16"

TECHNICAL SPECIFICATIONS

Fabrication friendly alternative to traditional phenolic materials for indoor applications. Electrically non-conductive, insulative, fire retardant, non-flammable.

Material Fire retardant functional polymer	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Industrial tags Safety signage Equipment ID tags Electrical tags Control panels	Capabilities Scores Bevels Hot Stamps Thermal Prints	Saws Heat Bendable Bonds Shears	Drills Screen Prints Fine Detail
Finish Matte non-glare	Engraving Depth .003" // 0.08mm				

HEAVY WEIGHTS™



Red/White/Red	Red/Black/Red	Blue/White/Blue	White/Blue/White	Black/White/Black	White/Black/White	Tan/Green/Tan	Green/Tan/Green	Brown/White/Brown
HW853-602 3-ply 1/4" HW873-602 3-ply 1/2"	HW853-604 3-ply 1/4" HW873-604 3-ply 1/2"	HW853-512 3-ply 1/4" HW873-512 3-ply 1/2"	HW853-205 3-ply 1/4" HW873-205 3-ply 1/2"	HW853-402 3-ply 1/4" HW873-402 3-ply 1/2"	HW853-204 3-ply 1/4" HW873-204 3-ply 1/2"	HW853-797 3-ply 1/4" HW873-797 3-ply 1/2"	HW853-908 3-ply 1/4" HW873-908 3-ply 1/2"	HW853-802 3-ply 1/4" HW873-802 3-ply 1/2"

Green/White/Green	Yellow/Black/Yellow
HW853-902 3-ply 1/4" HW873-902 3-ply 1/2"	HW853-704 3-ply 1/4" HW873-704 3-ply 1/2"

TECHNICAL SPECIFICATIONS

Material High-density polyethylene	Sheet Size 24" x 48" // 610mm x 1219mm	Usage Architectural Outdoor & recreational Interior signage Exterior Signage	Capabilities Saws Drills UV Stable
Finish Textured	Engraving Depth 1/4" = .030" // 0.8mm 1/2" = .060" // 1.6mm		

SATINS



Red/White 112-602 2-ply 1/32" 122-602 2-ply 1/16" 123-602 3-ply 1/16" 132-602 2-ply 3/32" 143-602 3-ply 1/8"	Red/Black 122-604 2-ply 1/16" 143-604 3-ply 1/8"	Red/Yellow 122-607 2-ply 1/16" 143-607 3-ply 1/8"	Burgundy/White 122-622 2-ply 1/16" 143-622 3-ply 1/8"	Orange/White 122-612 2-ply 1/16" 143-612 3-ply 1/8"	Orange/Black 122-614 2-ply 1/16" 143-614 3-ply 1/8"	Yellow/Black 112-704 2-ply 1/32" 122-704 2-ply 1/16" 123-704 3-ply 1/16" 132-704 2-ply 3/32" 143-704 3-ply 1/8"	Yellow/Red 122-706 2-ply 1/16" 143-706 3-ply 1/8"	Yellow/Blue 122-705 2-ply 1/16" 143-705 3-ply 1/8"
Bright Green/White 112-932 2-ply 1/32" 122-932 2-ply 1/16" 123-932 3-ply 1/16" 132-932 2-ply 3/32" 143-932 3-ply 1/8"	Green/White 122-902 2-ply 1/16" 143-902 3-ply 1/8"	Pine Green/White 122-912 2-ply 1/16" 143-912 3-ply 1/8"	Aqua/White 122-942 2-ply 1/16" 143-942 3-ply 1/8"	Blue/White 122-512 2-ply 1/32" 122-512 2-ply 1/16" 123-512 3-ply 1/16" 132-512 2-ply 3/32" 143-512 3-ply 1/8"	Blue/Yellow 122-517 2-ply 1/16" 143-517 3-ply 1/8"	Blue/Silver 122-533 2-ply 1/16"	Navy Blue/White 122-552 2-ply 1/16" 143-552 3-ply 1/8"	Air Force Blue/White 122-532 2-ply 1/16" 143-532 3-ply 1/8"
Metallic Blue/White 122-542 2-ply 1/16" 143-542 3-ply 1/8"	Purple/White 122-582 2-ply 1/16" 143-582 3-ply 1/8"	Almond/Black 122-854 2-ply 1/16" 143-854 3-ply 1/8"	Ivory/Dark Brown 122-228 2-ply 1/16" 143-228 3-ply 1/8"	Beige/Dark Brown 122-838 2-ply 1/16" 143-838 3-ply 1/8"	Beige/White 122-832 2-ply 1/16" 143-832 3-ply 1/8"	Med. Brown/White 122-822 2-ply 1/16" 143-822 3-ply 1/8"	Dark Brown/White 122-842 2-ply 1/16" 143-842 3-ply 1/8"	White/Red 122-206 2-ply 1/16" 143-206 3-ply 1/8"
Polar White/Red 122-246 2-ply 1/16"	White/Orange 122-216 2-ply 1/16" 143-216 3-ply 1/8"	White/Bright Green 122-209 2-ply 1/16" 143-209 3-ply 1/8"	Polar White/Bright Green 122-239 2-ply 1/16"	White/Pine Green 122-269 2-ply 1/16" 143-269 3-ply 1/8"	White/Blue 122-205 2-ply 1/16" 143-205 3-ply 1/8"	Polar White/Blue 122-235 2-ply 1/16"	White/Dark Brown 122-208 2-ply 1/16" 143-208 3-ply 1/8"	White/Black 112-204 2-ply 1/32" 122-204 2-ply 1/16" 123-204 3-ply 1/16" 132-204 2-ply 3/32" 143-204 3-ply 1/8"
Polar White/Black 122-234 2-ply 1/16" 132-234 2-ply 3/32" 143-234 3-ply 1/8"	Metallic Grey/White 122-312 2-ply 1/16" 143-312 3-ply 1/8"	Battleship Grey/White 122-362 2-ply 1/16" 143-362 3-ply 1/8"	Grey/White 122-302 2-ply 1/16" 143-302 3-ply 1/8"	Grey/Black 122-304 2-ply 1/16" 143-304 3-ply 1/8"	Black/White 112-402 2-ply 1/32" 122-402 2-ply 1/16" 132-402 2-ply 3/32" 143-402 3-ply 1/8"	Black/Bright White 122-412 2-ply 1/16" 143-412 3-ply 1/8"	Black/Red 122-406 2-ply 1/16" 143-406 3-ply 1/8"	Black/Yellow 122-407 2-ply 1/16" 143-407 3-ply 1/8"
Black/Gold 122-417 2-ply 1/16" 143-417 3-ply 1/8"	Black/Silver 122-423 2-ply 1/16" 143-423 3-ply 1/8"							

TECHNICAL SPECIFICATIONS

Material Acrylic cap, ABS core Finish Brushed	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm Engraving Depth .012" // 0.30mm	Usage Interior signage Personal identification	Capabilities Scores Drills Bevels Screen Prints Bonds Saws Shears Heat Bendable Hot Stamps
--	---	---	--

NOMARK® PLUS & STANDARD METALS



Deep Bronze/Black Standard: 512-884 2-ply 1/32" 522-884 2-ply 1/16" NoMark® Plus: 522-8840+ 2-ply 1/16"	Br. Gold/Black Standard: 512-734 2-ply 1/32" 522-734 2-ply 1/16" NoMark® Plus: 522-7340+ 2-ply 1/16"	European Gold/Black Standard: 512-754 2-ply 1/32" 522-754 2-ply 1/16" NoMark® Plus: 522-7540+ 2-ply 1/16"	Smooth Gold/Black Standard: 512-714 2-ply 1/32" 522-714 2-ply 1/16" NoMark® Plus: 522-7140+ 2-ply 1/16"	Br. Aluminum/Black Standard: 512-354 2-ply 1/32" 522-354 2-ply 1/16" NoMark® Plus: 522-3540+ 2-ply 1/16"	Br. Silver/Black Standard: 512-334 2-ply 1/32" 522-334 2-ply 1/16" NoMark® Plus: 522-3340+ 2-ply 1/16"	Smooth Silver/Black Standard: 512-344 2-ply 1/32" 522-344 2-ply 1/16" NoMark® Plus: 522-3440+ 2-ply 1/16"
---	--	---	---	--	--	---

TECHNICAL SPECIFICATIONS

NoMark® Plus is a clear acrylic protective coating to minimize finger prints, scratches and mars.

Material Microsurfaced ABS Finish Brushed metal ♦ Not recommended for harsh or high humidity indoor or outdoor applications.	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm Engraving Depth .003" // 0.08mm	Usage Interior signage Personal identification Trophies, awards & plaques	Capabilities Scores Drills Screen Prints Fine Detail Saws Bevels Hot Stamps Thermal Prints Shears Heat Bendable Bonds Sandblasts
--	---	---	---

Available



Front Engravable



Reverse Engravable



ADA/Tactile



UV-LED Printable

LASERMARK®



 922-602 2-ply .052"	 922-607 2-ply .052"	 922-704 2-ply .052"	 922-932 2-ply .052"	 922-912 2-ply .052"	 922-502 2-ply .052"	 922-512 2-ply .052"
 922-517 2-ply .052"	 922-552 2-ply .052"	 922-228 2-ply .052"	 922-822 2-ply .052"	 922-842 2-ply .052"	 922-206 2-ply .052"	 922-205 2-ply .052"
 922-204 2-ply .052"	 922-322 2-ply .052"	 922-312 2-ply .052"	 922-402 2-ply .052"	 922-422 2-ply .052"	 922-407 2-ply .052"	 922-417 2-ply .052"
 922-427 2-ply .052"	 922-677 2-ply .052"	 922-937 2-ply .052"	 922-577 2-ply .052"	 922-152 2-ply .052"	 922-002 2-ply .052"	 922-172 2-ply .052"
 922-192 2-ply .052"	 922-714 2-ply .052"	 922-734 2-ply .052"	 922-754 2-ply .052"	 922-354 2-ply .052"	 922-334 2-ply .052"	 922-344 2-ply .052"

TECHNICAL SPECIFICATIONS

* LaserMark metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 49" // 613mm x 1245mm

Port Wine* 23-1/2" x 49" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores
Laser Vector Cuts
Screen Prints
Fine Detail

Saws
Bevels
Hot Stamps
Shears

Drills
Heat Bendable
Bonds

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

FLEXIBRASS® & FLEXICOLOR®



 602-677 2-ply .020"	 602-672 2-ply .020"	 602-937 2-ply .020"	 602-577 2-ply .020"	 602-572 2-ply .020"	 602-363 2-ply .020"	 602-362 2-ply .020"
 602-735 2-ply .020"	 602-874 2-ply .020"	 602-884 2-ply .020"	 602-734 2-ply .020"	 602-754 2-ply .020"	 602-602 2-ply .020"	 602-744 2-ply .020"
 602-512 2-ply .020"	 602-204 2-ply .020"	 602-402 2-ply .020"	 602-417 2-ply .020"	 602-427 2-ply .020"	 602-413 2-ply .020"	 602-423 2-ply .020"
 602-354 2-ply .020"	 602-334 2-ply .020"	 602-794 2-ply .020"	 602-394 2-ply .020"			



LASER & ROTARY ENGRAVING MATERIALS

LASERMAX® NEW



Crimson/White LM912-602 2-ply 1/32" LM922-602 2-ply 1/16" LM942-602 2-ply 1/8" LM943-602 3-ply 1/8"	Crimson/Yellow LM922-607 2-ply 1/16"	Claret/White LM922-622 2-ply 1/16"	Ribbon Pink/White LM922-662 2-ply 1/16"	Ribbon Pink/Black LM922-664 2-ply 1/16"	Tangerine/White LM922-612 2-ply 1/16"	Canary/Black LM912-704 2-ply 1/32" LM922-704 2-ply 1/16" LM942-704 2-ply 1/8" LM943-704 3-ply 1/8"
Kelley Green/White LM912-932 2-ply 1/32" LM922-932 2-ply 1/16" LM942-932 2-ply 1/8"	Celadon Green/White LM922-972 2-ply 1/16"	Evergreen/White LM912-912 2-ply 1/32" LM922-912 2-ply 1/16" LM942-912 2-ply 1/8"	Sky Blue/White LM912-512 2-ply 1/32" LM922-512 2-ply 1/16" LM942-512 2-ply 1/8" LM943-512 3-ply 1/8"	Sky Blue/Yellow LM922-517 2-ply 1/16"	Sapphire/White LM922-502 2-ply 1/16"	Light Blue/White LM922-562 2-ply 1/16"
Patriot Blue/White LM922-552 2-ply 1/16"	China Blue/White LM922-382 2-ply 1/16"	Purple/White LM922-582 2-ply 1/16"	White/Crimson LM922-206 2-ply 1/16"	White/Burgundy LM922-226 2-ply 1/16"	White/Sky Blue LM922-205 2-ply 1/16"	White/Bright Green LM922-209 2-ply 1/16"
White/Pine Green LM922-269 2-ply 1/16"	White/Black LM912-204 2-ply 1/32" LM922-204 2-ply 1/16" LM942-204 2-ply 1/8" LM943-204 3-ply 1/8"	Ivory/Dark Brown LM922-228 2-ply 1/16"	Almond/Black LM922-854 2-ply 1/16"	Light Grey/Burgundy LM922-326 2-ply 1/16"	Light Grey/Marine Blue LM922-325 2-ply 1/16"	Light Grey/Black LM922-324 2-ply 1/16"
Smoke Grey/White LM922-312 2-ply 1/16"	Med. Brown/White LM922-822 2-ply 1/16"	Dark Brown/White LM922-842 2-ply 1/16"	Black/White LM912-402 2-ply 1/32" LM922-402 2-ply 1/16" LM942-402 2-ply 1/8" LM943-402 3-ply 1/8"	Gloss Black/White LM922-422 2-ply 1/16"	Black/Yellow LM922-407 2-ply 1/16"	Black/Gold LM922-417 2-ply 1/16"
Gloss Black/Gold LM922-427 2-ply 1/16"	Black/Silver LM922-413 2-ply 1/16"	Celestial Blue/Gold LM922-577 2-ply 1/16"	Harbor Grey/White LM922-362 2-ply 1/16"	Port Wine/Gold* LM922-677 2-ply 1/16"	Verde/Gold* LM922-937 2-ply 1/16"	Deep Bronze/Black* LM922-884 2-ply 1/16"
Brushed Bronze/Black* LM922-874 2-ply 1/16"	Brushed Bronze/White* LM922-872 2-ply 1/16"	Brushed Gold/Black* LM912-734 2-ply 1/32" LM922-734 2-ply 1/16" LM942-734 2-ply 1/8"	European Gold/Black* LM912-754 2-ply 1/32" LM922-754 2-ply 1/16" LM942-754 2-ply 1/8"	Smooth Gold/Black* LM912-714 2-ply 1/32" LM922-714 2-ply 1/16" LM942-714 2-ply 1/8"	Br. Aluminum/Black* LM912-354 2-ply 1/32" LM922-354 2-ply 1/16" LM942-354 2-ply 1/8"	Brushed Silver/Black* LM912-334 2-ply 1/32" LM922-334 2-ply 1/16" LM942-334 2-ply 1/8"
Smooth Silver/Black* LM912-344 2-ply 1/32" LM922-344 2-ply 1/16" LM942-344 2-ply 1/8"	Digicam Std. Issue/White LM922-982 2-ply 1/16"	Digicam Green/White LM922-922 2-ply 1/16"	Digicam Desert Storm/Black LM922-844 2-ply 1/16"	Digicam Pink/Black LM922-694 2-ply 1/16"	Digicam Air Force Blue/White LM922-532 2-ply 1/16"	Digicam Navy/White LM922-592 2-ply 1/16"
Digicam Special Ops/White LM922-372 2-ply 1/16"	Cashew/Dark Brown LM922-188 2-ply 1/16"	Cashew/Taupe LM922-138 2-ply 1/16"	Cashew/Black LM922-134 2-ply 1/16"	Toffee/Ash LM922-122 2-ply 1/16"	Toffee/White LM922-112 2-ply 1/16"	Cinnamon Stick/Ash LM922-022 2-ply 1/16"

LS

KEY:  Laserable  Rotary Engraving

ULTRAGRAVE™ MATTE



Red/White UG662-602 2-ply .010" UG602-602 2-ply .020" UG922-602 2-ply 1/16"	Red/Black UG922-604 2-ply 1/16"	Red/Gold UG922-637 2-ply 1/16"	Torrid/White UG922-862 2-ply 1/16"	Exotica/White UG922-882 2-ply 1/16"	Burgundy/White UG922-622 2-ply 1/16"	Burgundy/Gold UG922-627 2-ply 1/16"
Orange/White UG922-612 2-ply 1/16"	Orange/Black UG922-614 2-ply 1/16"	Yellow/Black UG662-704 2-ply .010" UG602-704 2-ply .020" UG922-704 2-ply 1/16"	Apple Green/White UG602-932 2-ply .020" UG922-932 2-ply 1/16"	Pine Green/White UG922-912 2-ply 1/16"	Forest Green/White UG922-992 2-ply 1/16"	Forest Green/Eggshell UG922-993 2-ply 1/16"
Forest Green/Gold UG922-997 2-ply 1/16"	Turbulent/White UG922-942 2-ply 1/16"	Blue/White UG662-512 2-ply .010" UG602-512 2-ply .020" UG922-512 2-ply 1/16"	Air Force Blue/White UG922-532 2-ply 1/16"	Royal Blue/White UG922-592 2-ply 1/16"	Royal Blue/Gold UG602-597 2-ply .020" UG922-597 2-ply 1/16"	Navy Blue/White UG922-552 2-ply 1/16"
Navy Blue/Gold UG922-557 2-ply 1/16"	Taupe/White UG922-802 2-ply 1/16"	Almond/Black UG922-854 2-ply 1/16"	Craftsmen/White UG922-832 2-ply 1/16"	White/Black UG662-204 2-ply .010" UG602-204 2-ply .020" UG922-204 2-ply 1/16"	White/Clear* UG602-201 2-ply .020" UG922-201 2-ply 1/16"	White/Red UG922-206 2-ply 1/16"
White/Blue UG922-205 2-ply 1/16"	White/Taupe UG922-208 2-ply 1/16"	Brown/White UG922-822 2-ply 1/16"	Chocolate Brown/White UG922-842 2-ply 1/16"	Light Gray/Black UG922-304 2-ply 1/16"	Black/White UG662-402 2-ply .010" UG602-402 2-ply .020" UG922-402 2-ply 1/16"	Black/Clear* UG602-401 2-ply .020" UG922-401 2-ply 1/16"
Black/Silver Gray UG922-423 2-ply 1/16"	Matte Black/Gold UG922-417 2-ply 1/16"	Glossy Black/Gold UG602-427 2-ply .020"				

ULTRAGRAVE™ SATIN



Red/White UG122-602 2-ply 1/16"	Red/Black UG122-604 2-ply 1/16"	Torrid/White UG122-862 2-ply 1/16"	Exotica/White UG122-882 2-ply 1/16"	Burgundy/White UG122-622 2-ply 1/16"	Orange/White UG122-612 2-ply 1/16"	Orange/Black UG122-614 2-ply 1/16"
Yellow/Black UG122-704 2-ply 1/16"	Apple Green/White UG122-932 2-ply 1/16"	Pine Green/White UG122-912 2-ply 1/16"	Forest Green/White UG122-992 2-ply 1/16"	Forest Green/Eggshell UG122-993 2-ply 1/16"	Turbulent/White UG122-942 2-ply 1/16"	Blue/White UG122-512 2-ply 1/16"
Air Force Blue/White UG122-532 2-ply 1/16"	Royal Blue/White UG122-592 2-ply 1/16"	Navy Blue/White UG122-552 2-ply 1/16"	Taupe/White UG122-802 2-ply 1/16"	Almond/Black UG122-854 2-ply 1/16"	Craftsmen/White UG122-832 2-ply 1/16"	White/Black UG122-204 2-ply 1/16"



Indoor Use



Outdoor Weatherable



UV Stable



UL approval for components
products - yellowcard E354751

ADA ALTERNATIVE® Substrate & Appliqué



Red 311-601 1-ply 1/32" 321-601 1-ply 1/16" 341-601 1-ply 1/8"	Burgundy 311-602 1-ply 1/32" 321-602 1-ply 1/16" 341-602 1-ply 1/8"	Bordeaux 311-671 1-ply 1/32" 321-671 1-ply 1/16" 341-671 1-ply 1/8"	Passion Pink 311-661 1-ply 1/32" 321-661 1-ply 1/16" 341-661 1-ply 1/8"	Canyon 311-823 1-ply 1/32" 321-823 1-ply 1/16" 341-823 1-ply 1/8"	Orange 311-603 1-ply 1/32" 321-603 1-ply 1/16" 341-603 1-ply 1/8"	Yellow 311-701 1-ply 1/32" 321-701 1-ply 1/16" 341-701 1-ply 1/8"
Grass Green 311-905 1-ply 1/32" 321-905 1-ply 1/16" 341-905 1-ply 1/8"	Bright Green 311-901 1-ply 1/32" 321-901 1-ply 1/16" 341-901 1-ply 1/8"	Pine Green 311-902 1-ply 1/32" 321-902 1-ply 1/16" 341-902 1-ply 1/8"	Teal 311-921 1-ply 1/32" 321-921 1-ply 1/16" 341-921 1-ply 1/8"	Black Forest Green 311-903 1-ply 1/32" 321-903 1-ply 1/16" 341-903 1-ply 1/8"	Bahama Blue 311-509 1-ply 1/32" 321-509 1-ply 1/16" 341-509 1-ply 1/8"	Maui Blue 311-507 1-ply 1/32" 321-507 1-ply 1/16" 341-507 1-ply 1/8"
China Blue 311-302 1-ply 1/32" 321-302 1-ply 1/16" 341-302 1-ply 1/8"	Blue 311-501 1-ply 1/32" 321-501 1-ply 1/16" 341-501 1-ply 1/8"	Air Force Blue 311-504 1-ply 1/32" 321-504 1-ply 1/16" 341-504 1-ply 1/8"	Marine Blue 311-502 1-ply 1/32" 321-502 1-ply 1/16" 341-502 1-ply 1/8"	Antique Ivory 311-801 1-ply 1/32" 321-801 1-ply 1/16" 341-801 1-ply 1/8"	Sand 311-808 1-ply 1/32" 321-808 1-ply 1/16" 341-808 1-ply 1/8"	Ash 311-214 1-ply 1/32" 321-214 1-ply 1/16" 341-214 1-ply 1/8"
Parchment 311-811 1-ply 1/32" 321-811 1-ply 1/16" 341-811 1-ply 1/8"	Sandalwood 311-218 1-ply 1/32" 321-218 1-ply 1/16" 341-218 1-ply 1/8"	White 311-201 1-ply 1/32" 321-201 1-ply 1/16" 341-201 1-ply 1/8" 391-201 1-ply 1mm	Bright White 311-204 1-ply 1/32" 321-204 1-ply 1/16" 341-204 1-ply 1/8" 391-204 1-ply 1mm	Light Grey 311-305 1-ply 1/32" 321-305 1-ply 1/16" 341-305 1-ply 1/8"	Pearl Grey 311-306 1-ply 1/32" 321-306 1-ply 1/16" 341-306 1-ply 1/8"	Driftwood 311-595 1-ply 1/32" 321-595 1-ply 1/16" 341-595 1-ply 1/8"
Grey 311-301 1-ply 1/32" 321-301 1-ply 1/16" 341-301 1-ply 1/8"	Silver Grey 311-308 1-ply 1/32" 321-308 1-ply 1/16" 341-308 1-ply 1/8"	Charcoal Grey 311-307 1-ply 1/32" 321-307 1-ply 1/16" 341-307 1-ply 1/8"	Cinder 311-413 1-ply 1/32" 321-413 1-ply 1/16" 341-413 1-ply 1/8"	Beige 311-831 1-ply 1/32" 321-831 1-ply 1/16" 341-831 1-ply 1/8"	Candlewick 311-805 1-ply 1/32" 321-805 1-ply 1/16" 341-805 1-ply 1/8"	Taupe 311-802 1-ply 1/32" 321-802 1-ply 1/16" 341-802 1-ply 1/8"
Dark Brown 311-803 1-ply 1/32" 321-803 1-ply 1/16" 341-803 1-ply 1/8"	Med. Brown 311-821 1-ply 1/32" 321-821 1-ply 1/16" 341-821 1-ply 1/8"	Black 311-401 1-ply 1/32" 321-401 1-ply 1/16" 341-401 1-ply 1/8" 391-401 1-ply 1mm	Copper 311-891 1-ply 1/32" 321-891 1-ply 1/16" 341-891 1-ply 1/8"	Deep Bronze 311-871 1-ply 1/32" 321-871 1-ply 1/16" 341-871 1-ply 1/8"	Gold 311-771 1-ply 1/32" 321-771 1-ply 1/16" 341-771 1-ply 1/8"	Silver 311-304 1-ply 1/32" 321-304 1-ply 1/16" 341-304 1-ply 1/8"
Graphite 311-398 1-ply 1/32" 321-398 1-ply 1/16" 341-398 1-ply 1/8"	Clear 311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"					

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "8" to the end of the six digit code.

Material

Single-ply modified acrylic

Finish

Matte non-glare

Sheet Size

24-1/8" x 48-3/4" //
613mm x 1238mm

Cutting 1/32" Tactile Letters


1/4" round & .020" tip at
20°- 25° angle

Usage

Interior signage
Exterior signage
Tactile signage
Appliqué

Capabilities

Scores	Saws	Drills
Shears	Laser Vector Cuts	Bevels
Heat Bendable	Screen Prints	Hot Stamps
Bonds	UV Stable	Braille-engrivable
Thermal Prints		



TECHNICAL SPECIFICATIONS

*Some LaserMax® foils are not recommended for applications in which UV stability is a requirement.

*LaserMax® metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine*
23-1/2" x 48-3/4" // 597mm x 1238mm
Kona/Ash & Kona/White*
23-5/8" x 48-3/4" // 600mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores
Shears
Heat Bendable
Bonds

Saws
Laser Vector Cuts
Screen Prints
Fine Detail

Drills
Bevels
Hot Stamps
UV Stable

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

METALGRAPH PLUS®



TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic

Finish

Brushed metal
Textured

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques


Capabilities

Scores
Shears
Heat Bendable
Bonds
Thermal Prints

Saws
Laser Vector Cuts
Screen Prints
Fine Detail

Drills
Bevels
Hot Stamps
UV Stable

LASERMAG



TECHNICAL SPECIFICATIONS

Material

Microsurfaced flexible magnetic material

Finish

Brushed metal
Gloss ■

Sheet Size

10 pack: 12" x 24" sheets

Engraving Depth

0.004" // 0.10mm
Not recommended for rotary engraving

Gauge

.020" // .5mm

Usage

Promotional magnets
Repositionable nameplates


Capabilities

Scores
Fine Detail
Sandblasts

Shears
UV Stable

Laser Vector Cuts
Thermal Prints


◆ Not recommended for harsh or high humidity indoor or outdoor applications.



TECHNICAL SPECIFICATIONS

Material High impact modified acrylic blends	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification Trophies, awards & plaques Safety & Industrial signage	Capabilities Scores Laser Vector Cuts Screen Prints Fine Detail Sandblasts	Saws Bevels Hot Stamps UV Stable	Drills Heat Bendable Bonds Back-lighting*
Finish Matte non-glare Satin grain Gloss ■	Engraving Depth .005" // .13mm				


TEXTURES



TECHNICAL SPECIFICATIONS

Material Co-extruded impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification Industrial tags Industrial signage	Capabilities Saws Bevels Screen Prints Fine Detail	Drills Heat Bendable Hot Stamps UV Stable	Laser Vector Cuts Shears Bonds
Finish Textured	Engraving Depth .007" // 0.18mm Acid Yellow & Pimento .010" // 0.25mm				

COLORCAST ACRYLICS™



TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures. Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser certain gauges.

Material Microsurfaced cell cast acrylic for reverse engraving	Sheet Size 24" x 48" +0, -.125" // 610mm x 1219mm	Usage Interior signage Exterior signage Personal identification Trophies, awards & plaques Tactile signage (matte only)	Capabilities Saws Hot Stamps UV Stable Braille-engraversable	Laser Vector Cuts Bonds Paintfill Thermal Prints	Screen Prints Fine Detail Back-lighting
Finish Matte (M) Gloss (G)	Engraving Depth .003" // 0.08mm				

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "9" to the end of the six digit code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine**
23-1/2" x 48-3/4" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Trophies, awards & plaques

Capabilities

Scores	Drills	Shears
Bevels	Heat Bendable	Laser Vector Cuts
Screen Prints	Hot Stamps	Fine Detail
Thermal Prints		

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

LASERLIGHTS



Yellow/Black S68-1224 12"x 24"sheet	Black/White S61-1224 12"x 24"sheet	White/Black S62-1224 12"x 24"sheet S62-1205 12"x50' rolls	Brushed Silver/Black S63-1224 12"x24"sheet S63-1205 12"x50' rolls	Black/Gold S65-1224 12"x24"sheet S65-1205 12"x50' rolls	Brushed Bronze/Black S69-1224 12"x24"sheet	Smooth Silver/Black S73-1224 12"x24"sheet
Black/Silver S75-1224 12"x24"sheet S75-1205 12"x50' rolls	White/Gold S26-1224 12"x24"sheet	Smooth Gold/Black S74-1224 12"x24"sheet	Brushed Brass/Black S64-1224 12"x24"sheet S64-1205 12"x50' rolls			

TECHNICAL SPECIFICATIONS

Material

Microsurfaced pre-adhesive plastic
(Backed with a .001" (0.03mm) acrylic pressure sensitive adhesive)

Finish

Brushed metal
Gloss ■

Sheet Size

10 pack: 12" x 24" sheets
12" x 50' rolls

Engraving Depth

0.002" // 0.05mm

Gauge

.004" // .10mm

Usage

Interior signage
Exterior signage
Personal identification
Industrial
Automotive & electronic labeling
Recreational applications

Capabilities

Scores	Drills	Shears
Laser Vector Cuts	Bonds	Fine Detail
UV Stable	Thermal Prints	Sandblasts

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

REVERSE LASERMARK®



Matte/Red 922-601 2-ply 1/16"	Matte/Burgundy 922-621 2-ply 1/16"	Matte/Ribbon Pink 922-661 2-ply 1/16"	Matte/Yellow 922-701 2-ply 1/16"	Matte/Bright Green 922-931 2-ply 1/16"	Matte/Blue 922-511 2-ply 1/16"	Matte/Navy Blue 922-551 2-ply 1/16"
Matte/White 922-201 2-ply 1/16"	Matte/Ivory 922-221 2-ply 1/16"	Matte/Dark Brown 922-841 2-ply 1/16"	Matte/Black 922-401 2-ply 1/16"	Matte/Smooth Gold* 922-711 2-ply 1/16" 942-711 2-ply 1/8"	Gloss/Smooth Gold* 922-710 2-ply 1/16" 942-710 2-ply 1/8"	Matte/Smooth Silver* 922-341 2-ply 1/16" 942-341 2-ply 1/8"
Gloss/Smooth Silver* 922-340 2-ply 1/16" 942-340 2-ply 1/8"	Matte/Clear 311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"	Clear/Clear 411-100 1-ply 1/32" 422-100 1-ply 1/16" 442-100 1-ply 1/8"				

TECHNICAL SPECIFICATIONS

Some LaserMark® Reverse foils are not recommended for applications in which UV stability is a requirement.

Material

Microsurfaced impact acrylic for reverse engraving

Finish

Matte non-glare
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Exterior signage
Personal identification
Tactile signage

Capabilities

Scores	Saws	Drills
Laser Vector Cuts	Bevels	Heat Bendable
Screen Prints	Hot Stamps	Bonds
Fine Detail	UV Stable	Paintfill
Back-lighting	Shears	Thermal Prints

THE VARSITY COLLECTION



Crimson/White LM922-602 2-ply 1/16"	Crimson/Yellow LM922-607 2-ply 1/16"	Crimson/Black* LM922-604 2-ply 1/16"	Claret/White LM922-622 2-ply 1/16"	Tangerine/White LM922-612 2-ply 1/16"	Vibrant Orange/Black* LM922-624 2-ply 1/16"	Canary/Crimson* LM922-706 2-ply 1/16"
Canary/Black LM922-704 2-ply 1/16"	Yellow/Sky Blue* LM922-705 2-ply 1/16"	Kelley Green/White LM922-932 2-ply 1/16"	Kelley Green/Black* LM922-934 2-ply 1/16"	Sky Blue/White LM922-512 2-ply 1/16"	Sky Blue/Yellow LM922-517 2-ply 1/16"	Patriot Blue/White LM922-552 2-ply 1/16"
Patriot Blue/Gold* LM922-527 2-ply 1/16"	Purple/White LM922-582 2-ply 1/16"	White/Crimson LM922-206 2-ply 1/16"	White/Sky Blue LM922-205 2-ply 1/16"	White/Patriot Blue* LM922-255 2-ply 1/16"	White/Black LM922-204 2-ply 1/16"	Black/White LM922-402 2-ply 1/16"
Black/Red* LM922-406 2-ply 1/16"	Black/Yellow LM922-407 2-ply 1/16"	Black/Silver LM922-413 2-ply 1/16"	Black/Gold LM922-417 2-ply 1/16"			

TECHNICAL SPECIFICATIONS

*These items are not available as standard products in the LaserMax® product line, and are handled as custom orders, which require a "2" sheet minimum.

Material
Microsurfaced impact acrylic

Sheet Size
24-1/8" x 48-3/4" //
613mm x 1238mm

Usage
Interior signage
Exterior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores
Laser Vector Cuts
Screen Prints
Fine Detail
Saws
Bevels
Hot Stamps
UV Stable
Drills
Heat Bendable
Bonds
Shears

Finish
Matte non-glare

Engraving Depth
.003" // 0.08mm

LASERGLOW®



Glow with Adhesive LG302-911 1-ply .020"	Glow ADA Compliant LG311-911 1-ply 1/32" LG321-911 1-ply 1/16" LG341-911 1-ply 1/8"	Glow Reverse Engravable LG322-911 2-ply .050"	Glow/Safety Red* LG322-916 2-ply .050"	Glow/Safety Green* LG322-919 2-ply .050"	Glow/Safety Blue* LG322-915 2-ply .050"	Glow/Safety Black* LG322-914 2-ply .050"
--	---	---	--	--	---	--

TECHNICAL SPECIFICATIONS

*For best results, it is recommended to rotary engrave these select products.

Material
Modified impact acrylic for appliqué, tactile signage, front or reverse engraving

Sheet Size
24-1/8" x 48-3/4" //
613mm x 1238mm

Usage
Interior signage
Exterior signage
Safety signage
Tactile/Appliqué signage
Exit/Egress signage
Industrial tags
MEA certified MEA# 203-08-M

Capabilities

Saws
Laser Vector Cuts
Screen Prints
UV Stable
Braille-engrivable
Drills
Bevels
Hot Stamps
Paintfill
Thermal Prints
Shears
Heat Bendable
Bonds
Back-lighting

Finish
Matte non-glare

Engraving Depth
.022" // 0.56mm (Reverse only)
.025" // 0.64mm



Rowmark recommends the products identified for UV-LED Printing. Rowmark recommends using an adhesion promoter for best results when UV-LED printing select products. Rowmark does not recommend an adhesion promoter for the Hardwood Collection. ColorHuesEFX is not recommended for UV/Print applications.



Rowmark recommends the products identified for ADA/Tactile projects. ColorHuesEFX is not recommended for ADA/Tactile. Matte product lines are specifically designed by Rowmark to comply with the Americans with Disabilities Act (ADA) Federal regulations for tactile signage.

Bellco Engraver's Brass

Available in Satin Finish (brushed gold) or Gloss Finish (mirror gold) - Gloss Finish is available in .025 only - Satin Finish is available in various thicknesses. Recommended for Interior Use Only. Produces a smooth bur free engraving with either a rotary cutter or diamond drag cutter. Has Protective Covering over engravable side.


#305-258 #305-259
.025 Gloss .025 Satin

12" x 48"

12" x 24"

12" x 12"


Hole sizes



Pre Cut Brass Plates available

Custom Cut Plates CANNOT be returned.

#308-010 Brass Letter Blackener
3 oz. Bottle - Oxidizing Agent for
Darkening Letters Engraved into
Engraver's Brass




Custom
Etched and screen printed
plates!

Belco Clear Anodized Aluminum Available in Satin Finish. 1/32", 1/16" & 1/8" thickness.
Recommended for Interior and Exterior Use. Has Protective Covering on Engravable Side. Produces a smooth, burr-free engraving with either a rotary cutter or a diamond drag cutter.

Sheets

Size
24" x 48"
12" x 48"
12" x 24"
12" x 12"

Hole sizes



Pre Cut Aluminum Plates available

Custom Cut Plates CANNOT be returned.

#408-010 Aluminum

Letter Blackener

4 oz. Bottle - Oxidizing Agent for Darkening Letters
Engraved into Anodized Aluminum



Bellco Engravable Starter Kits A variety of items to engrave and sell




BEL-NSK Nameplate Starter Kit

A great starter kit for Engravers. Make money & offer a variety of items to your customers!
Contains an assortment of brass nameplates, key & luggage tags, and aluminum social security plates.
(as shown above)



BEL-IDK I.D. Tag Starter Kit

This kit contains a large assortment of Pet, Medical Alert, Child and Property I.D. Tags.
Includes chains, bracelets and fittings
(as shown above)



Bellco Ornamental Plates

All of our ornamental nameplates are available with or without holes, embossed nail heads or screw heads or permanent pressure sensitive adhesive.
Special holes drilled to meet your requirements.
Escutcheon pins and screws are available & priced below.
Custom lengths are also available - please fax your specifications for a quotation.

BEL-1, BEL-2, BEL-20, BEL-3, BEL-4 & BEL-19
are available in .020" and .032" Gold Satin Brass
BEL-18 & BEL-30 are available in .062" Gold Satin or Bright Brass .
BEL-00 is available in .020" Gold Satin Brass

<u>Order Number</u>	<u>Size</u>	<u>Description</u>
BEL-1-020	3/8" X 1-3/4"	.020 Gold Satin Brass
BEL-1-032	3/8" X 1-3/4"	.032 Gold Satin Brass
BEL-2-020	3/8" X 2-1/2"	.020 Gold Satin Brass
BEL-2-032	3/8" X 2-1/2"	.032 Gold Satin Brass
BEL-3-020	1/2" X 3"	.020 Gold Satin Brass
BEL-3-023	1/2" X 3"	.032 Gold Satin Brass
BEL-4-020	5/8" X 3-1/2"	.020 Gold Satin Brass
BEL-4-032	5/8" X 3-1/2"	.032 Gold Satin Brass
BEL-19-020	3/4" X 4-1/2"	.020 Gold Satin Brass
BEL-19-032	3/4" X 4-1/2"	.032 Gold Satin Brass
BEL-19-050	3/4" X 4-1/2"	.050 Gold Satin Brass
BEL-19-062	3/4" X 4-1/2"	.062 Gold Satin Brass
BEL-20-020	3/8" X 2"	.020 Gold Satin Brass
BEL-20-032	3/8" X 2"	.032 Gold Satin Brass
BEL-18-S	3/4" X 4-1/4"	.062 Gold Satin Brass
BEL-18-B	3/4" X 4-1/4"	.062 Gold Satin Brass
BEL-30-S	3/4" X 4-1/4"	.062 Gold Satin Brass
BEL-30-B	3/4" X 4-1/4"	.062 Gold Satin Brass
BEL-00	2 1/32" X 2-3/8"	.020 Gold Satin Brass

Options: 1 or 2 holes
4 holes
2 embossed nail or screw heads
4 embossed nail or screw heads
2 brass escutcheon pins (nails)
permanent pressure sensitive tape strips

Badge Findings & Fasteners

	Stock #	Description
	#112-130	1-1/2" pin w/adh. pad
	#116-480	Swivel clip w/adh. pad
	#113-400	2-3/4" Mil. Bar w/adh. pad
	#114-200	7/16" clutch w/adh. pad
	#117-700	Square Magnetic Set
	#119-500	Swivel Clip with snap strap

CORPORATE NAME BADGES

with your name and logo



Since 1946

Bell Company, Inc.



Standard Frameless
Style



Executive Frame Style

Badge Size 1.5" x 3" With Magnetic Attachment

DISPLAY YOUR BUSINESS NAME AND STAFF TO CLIENTS AND POTENTIAL CUSTOMERS

- ◆ Present a Professional Image
- ◆ Convey Confidence to Clients
- ◆ Effective & Affordable Advertising
- ◆ Enhance Security

your logo in full color



TO ORDER

Ordering is as easy as

1 - 2 - 3!

- 1** Email Your Company Logo
- 2** Email A List of Names
- 3** Sign off on your proof

- Standard Frameless
Badge Style

- Executive Framed
Gold or Silver

**Start Your Name
Badge Program Today**
No Minimum Orders
Quantity Breaks
DESIGN ASSISTANCE

Shipping Options

UPS or U.S. Mail

badges@bellcoinc.com

we accept



EGX-20



A powerful 15,000-rpm spindle motor makes quick work of acrylic, plastic and other materials for attractive nameplates and room directories.

Thanks to its unique AST system, the EGX-20 can engrave on a wide variety of materials for personalizing gifts and novelty items. Table size 8-5/8(W) x 6-11/16 (D) inches

MPX-90



It's a new desktop device that allows retail photo shops and professional photography studios to offer customers a wide range of personalized giftware! The MPX-90 Metaza Photo Impact Printer uses a unique technology to create permanent impressions into jewelry, pendants, key chains, clothing and charms.

With a USB port, the MPX-90 sets up as easily as a desktop printer. Once up and running, photographers and retailers can begin imprinting in just three steps. Import an image via scanner or digital camera, layout and edit graphics, and press print. Max Engraving area 3-1/8"x 3-1/8"

EGX-30A COMPUTERIZED ENGRAVER

Computer Not Included

Good Entry Level Computerized Engraving Machine



The EGX-30A is a simple-to-use 2 axis, desktop engraving machine. It works via a standard parallel or serial connection to your PC. The EGX-30 uses industry standard 1/8" diameter tools for engraving plastic and other soft materials, as well as scribing coated brass. With its small overall footprint, the EGX-30A can be used on any desktop. It is quiet enough to be used in any office environment.

Accessories: Dr. Engrave Software, EGX-30A Driver for Windows® Vista, Windows 7, XP, Power Cord, Cutting Tool, Engraving Tool Holder, Dust Collector Hose & Duct, Diamond Scribe Adapter, Adhesive Sheet for Securing Material & User's Manual.

Table Size: 12" x 8" Maximum Working Area: 12" x 8" Wt. 34.2 lbs.

Optional EngraveLab Software is shown on next page.
Optional Vacuum Chip Removal System

BellCo Desktop Computer Engraver EGX-350 by Roland



Vacuum Chip
Removal Syst.

A desktop engraver that produces professionally finished signage, nameplates, badges and more!
Comes with advanced engraving/modeling software.


EGX-350 Includes Dr. Engrave Software

Computer Not Included
Optional EngraveLab Software
Optional Vacuum Chip Removal System.


A Complete Engraving Solution: With the new EGX-350 desktop engraver, you can easily expand your business by adding valuable personalized items to your production line. The EGX-350 quickly engraves a wide variety of materials right in your sign shop, engraving business or retail store. This highly versatile tool is remarkably easy to use and expertly engineered to produce sharp, precision text and graphics. A complete, compact solution, the EGX-350 comes with everything you need to get started. Bundled Roland EngraveStudio software offers advanced features including a new V-Carving mode which produces a hand-carved look, and a new engrave simulation function that saves time and materials by allowing you to preview your designs before engraving.

Easy to Use: The EGX-350 connects to your PC through a USB port and is extremely easy to setup and operate. An easy-navigation control panel is located away from the production area offering a clear view of the engraving table. The EGX-350 also features an automatic surface detector that automatically determines the height of the material (Z-zero) for quality engraving at a consistent depth.*1 An adjustable flip cover opens in two positions allowing efficient access to the engraved product. The brushless DC motor is highly durable for long-lasting performance, and the vacuum adapter attaches easily to the spindle to ensure clean operation.

*1 Automatic surface detector works with included Dr. Engrave software and may not be able to engrave some materials depending on their shape and/or design.



Engrave text with a
variety of fonts
including TrueType
or Single Line.



Roland EngraveStudio offers a variety of engraving depths that together produce a truly hand-carved look. Preview your designs on screen through the engraving simulation function that presents both the tool path and anticipated results prior to engraving. Import designs from Adobe Illustrator*2 (ai and eps) and CorelDraw (eps)*3 for precision text and graphics. Roland EngraveStudio is compatible with Windows® 2000/XP and Windows Vista™.

*2 Before importing Adobe Illustrator data into Roland EngraveStudio, Roland recommends converting vector geometry and text to curves. For best results, switch off all patterns and/or color fills and save files in eps format.*3 Supports ai (version 8.0), and eps (version 3.0) file formats

Self Centering Vise

A self centering vice for holding nameplates and irregular shaped objects.

ZV23C (for EGX-300 shown on website)

ZV20 (for EGX-20 shown on website)

ZV600C (for EGX-400/600 pg 18)



Dr. Engrave Software

Power up with the most remarkable engraving software you'll ever own!

FREE with any computerized engraving system purchase!

- **Automatic Layout Function** - Dr. Engrave features an automatic layout function that allows you to import your database for faster engraving output. Just create your database in CSV format. Dr. Engrave imports your data and optimally lays out your job to fit the material.
- **Uses a wide variety of fonts and clip art** - Dr. Engrave includes specialized vector engraving fonts and also supports Windows TrueType fonts. Create your own design by altering standard shapes or importing a variety of file types such as Windows bitmap data or Vector Art from Roland file formats.
- **In addition to standard fills** - Dr. Engrave supports "Island fills" • Dr. Engrave easily converts TrueType to "single stroke" fonts.



EngraveLab Optional Software

- **One of the Industry's most accurate scanning & auto-tracing features**
 - **Spell Checker** • **"Weighted" or "Equal" spacing method included**
 - **Ability to view the plate in "finished" mode**

EngraveLab provides the modern engraving shop with creative freedom and an efficient workflow. This powerful design and production software comes loaded with all the right tools for engraving trophies, awards and signs, including 65 import filters, 1100 fonts with WYSIWIG text composition, 100 engraving fonts, a 5000 - piece clipart library, and a variety of automatic fill routines. It can also generate braille for ADA signage, trace raster-to-vector images, and automatically create single or multiple plates per sheet with a special function for badges.




Elegant Outdoor Signs



First-Class Personalized Gift Items



Metal, Plastic or Brass Nameplates



Custom Rhinestone Apparel



Indoor & ADA Signage

EGX-350 DESKTOP ENGRAVER

By Roland

Bringing Your Ideas to Life



SEE WHAT THE EGX-350 CAN DO AT:
WWW.ROLANDSD.COM/EGX350

Quality. Speed. Versatility. The EGX-350 has what it takes to give your customers what they really want! Powered by a 20,000 rpm DC brushless motor, the desktop engraver produces a wide range of popular jobs with crisp text and clear graphics. Indoor signs, gifts and awards, and custom rhinestone apparel all turn out perfectly.

Ease of use is one of the EGX-350's core strengths. An advanced surface detector simplifies setup by automatically determining the Z axis starting point. A hand-held control panel with a large backlit LCD screen lets you quickly select engraving options, such as spindle speed.

Bundled EngraveStudio™ software makes it fast and easy to produce everything from simple nameplates to elegant wood signs and luxury gift items. With single stroke fonts and a special V-Carving mode, the software generates a perfect hand-carved look. It imports your designs in ai and eps file formats, and lets you preview them to save precious materials and time. You can even create design templates for heat pressing rhinestones onto custom apparel.

Roland®
Advanced Solutions Division

■ Specifications

EGX-350 DESKTOP ENGRAVER

Model	EGX-350
Table Size	12"(X) x 9.1"(Y) [305 x 230 mm]
Maximum Cutting Area	12"(X) x 9.1"(Y) x 1.6"(Z) [305 (X) x 230 (Y) x 40 mm (Z)]
Feed Rate	X, Y-axis: Up to 2.4 ips (60mm/sec). Z-axis: Up to 1.2 ips (30mm/sec).
Software Resolution	0.004" (0.01 mm) /step or 0.001" (0.025 mm) /step (XY axis only)
Mechanical Resolution	X, Y-axis: 0.0001" (0.0025 mm) /step
Spindle Motor	Brushless DC motor, max. 50 W
Revolution Speed	5,000 to 20,000 rpm
Tool Chuck	Cutter holder and collet
Interface	USB (compliant with Universal Serial Bus Specification Revision 1.1) and serial (RS-232C-compliant)
Instruction System	RML-1
Power Requirements	AC 100 to 120 V $\pm 10\%$, 1.3 A, 50/60 Hz (overvoltage category II, IEC 60664-1) or AC 220 to 240 V $\pm 10\%$, 0.6 A, 50/60 Hz (overvoltage category II, IEC 60664-1)
Acoustic Noise Level	During operation: 60 dB(A) or less (when not cutting), During standby: 40 dB(A) or less, As specified by ISO 7779
External Dimensions	15.5" (W) x 24.3" (D) x 23.3" (H) [393 (W) x 616 (D) x 591 (H) mm] When cover is open: 23.56" x 21.5" x 27" [598 (W) x 545 (D) x 685 mm]
Weight	75 lb. (34 kg)
Operation Temperature	41° to 104° F (5° to 40° C)
Operating Humidity	35 to 80% (no condensation)
Accessories	Power cord, depth regulator nose (nose unit), nose-unit retainer (retaining screw, spring), spare mounting screw (for the cutter holder), character cutter (diameter 3.175 mm), flat cutter (diameter 3.175 mm), wrench, solid collet (diameter 3.175 mm), solid collet (diameter 4.36 mm), hexagonal wrench, hexagonal screwdriver, handy panel, adhesive sheet, vacuum adapter for chip cleaning, Roland Software CD-ROM, Roland EngraveStudio™ CD-ROM, Roland Software Program Guide, Roland EngraveStudio™ Program Guide, and User's Manual
Roland EngraveStudio™ System Requirements	
OS	Windows Vista™ (32-bit edition), Windows® XP, or Windows® 2000
CPU	Pentium® III, 1 GHz or faster recommended
RAM	Windows Vista: 512 MB or more recommended, Windows XP/2000: 256 MB or more recommended



Roland's optional T-Slot makes it easy to secure objects of different sizes for precision engraving.
Part number: ZTT-35



Roland's optional Center Vise holds objects up to 5.9" (X) x 5.8" (Y) x 1.3" (Z).
Part number: ZV-23C



Roland's optional Vacuum Table keeps engraving material in place, eliminating the need for adhesive sheets.
Part number: ZV-23A



Bundled Roland EngraveStudio software gives you the power to create whatever your customers need!

Roland reserves the right to make changes in specifications, materials or accessories without notice. Your actual output may vary. For optimum output quality, periodic maintenance to critical components may be required. Please contact your Roland dealer for details. No guarantee or warranty is implied other than expressly stated. Roland shall not be liable for any incidental or consequential damages, whether foreseeable or not, caused by defects in such products. All trademarks are the property of their respective owners.

Computerized Engraving Machines by Roland



The EGX PRO 600 and 400 are industrial-sized, advanced benchtop engravers. Using Feed Forward Processing enabled by belt drive technology and digital AC Servo brushless motors on the X, Y, and Z axes, they deliver unmatched precision, speed, reliability and efficiency for 2D and 3D engraving. The PRO has a 72-watt, 30,000-rpm spindle for high torque and minimum vibration.

EGX-600

258 lb. 16" x 24" Table Size

Includes Dr. Engrave Software

EGX-600

192 lb. 12" x 16" Table Size

Includes Dr. Engrave Software

Computer Not Included
Optional EngraveLab Software
Optional Vacuum Chip Removal System
Optional Vacuum Adapter Kit
(see page 17 for information on above optional items)

Complete specs sheets are downloadable in pdf format from our website www.bellcoinc.com

The EGX-600/400 benchtop engravers provide heavy duty engraving power, speed and a host of features, making them versatile, easy-to-operate, professional tools. These computerized engravers enable you to produce a wide variety of applications including 3D reliefs for distinctive signs as well as nameplates, awards, trophies, medallions, ADA signage, control panels and much more.



Model EGX-600



Model EGX-400



Superb Quality, Value & Performance For Heavy-Duty Engraving

Included with the EGX-600/400 is a complete suite of engraving software. Dr. Engrave produces high quality engraving utilizing True Type fonts. 3D Engrave allows you to produce 3D reliefs. MODELA Player CAM software reads DXF and STL files created with popular 3D CAD programs. Virtula MODELA enable simulation of finished shapes for previewing on your computer screen before beginning production. A Windows driver is also included.

High Speed and Accuracy with DAC-FFP

Feed Forward Processing (FFP) is an advanced controller technology that anticipates tools movement. The industry-first combination of FFP, belt drives and digital AC Servo (DAC) brushless motors on the X, Y and Z axes results in unmatched precision, speed, reliability and energy efficiency. In addition to faster cutting, the high-speed spindle and brushless DC motor produce increased torque with less vibration. Spindle speed can be varied between 8,000 and 30,000 rpm for engraving a wide variety of materials, including wood, urethane foam, plastic, acrylic and light metals such as brass and aluminum.



Software: 3D Engrave



Software: Dr. Engrave



Software: Dr. Engrave
Multiple Plates

by Roland



MPX-90

Computer Not Included

This second generation MPX-90 photo impact printer provides an easy, low cost way to personalize jewelry, pendants, tags, awards, nameplates and promotional items. It uses a diamond-tipped stylus to permanently imprint photos, illustrations, logos and text into metals and acrylics. The maximum work area is 3.15" x 3.16"

Updated Dr. Metaza2 Software Included

Bundled with the MPX-90, Dr. Metaza2 photo-imprinting software allows even first-time users to start editing images and adding text, frames and borders immediately. With the latest version, users can quickly remove backgrounds and rotate images and text. The software imports data filed in JPEG or BMP format and also accepts data from digital cameras and TWAIN_32-compatible scanners.

- Easy imprinting of photos and text on metals and acrylic
- Able to handle multiple imprinting jobs simultaneously by connecting more than one METAZA to a PC
- Easy-to-use Dr. METAZA2 photo-printing software included to let you start editing and printing immediately after set-up
- Reads image data in JPEG or BMP formats as well as from digital camera or TWAIN-32-compatible scanners
- Compact footprint easily fits on a small counter
- USB port for fast and easy set-up and orientation

MULTI-MAT

The new, revolutionary ENGRAVING TABLE HOLD DOWN MAT, designed to make your engraving jobs easier and faster! It is a double sided mat which can be applied to virtually any engraving table top to provide a stable, self sticking surface for practically any flat engraving material.


- No more problems with difficult to hold engraving stock
- Perfect for Brass, Aluminum, Flexible Engraving Stock, Acrylic, Phenolic & most other engraving material
- Durable rubber like material with a rigid core that has special holding properties -
- Engraving stock will not move from side to side, but after engraving, it is easily lifted
- No other hold down system is as fast and easy to use
- Can be used over and over again
- Cleans with water and a soft sponge!
- Multi-Mat makes your work easier and saves you money!

MULTI-MAT has a self healing feature - small cuts in the surface should not cause a problem and seem to heal.

Double Sided - double the life span of single sided stick down mats.

Custom Made Templates

Send camera ready artwork or drawing
#270-Custom



Make Your Own MasterType or Templates

Blanks made to fit Bellco and New Hermes® Copy Slides

Plastic Shear

#S1200P

Cuts Plastic up to .0625 thick

Ideal for cutting badges,
nameplates, strips, panels,
film backed polymer -
not designed for metal.

Cuts 12" x any length -
clean cut -
safety guard included

Replacement Blades & Parts:


Top for Plastic

Top for Metal

Bottom Blade

Replacement Scale

Replacement Guard



Metal Shear

#S1200M

Cuts Brass up to .025 thick
& Aluminum up to .040 thick

Ideal for cutting
Trophy Brass, Aluminum
& A.D.A. Aluminum
Backed Photopolymer

Cuts 12" x any length -
clean cut -
safety guard included



Replacement Blade
#VC36T
36 tooth, carbide tipped 4.75" dia.



Carbide Table Saw Blade
#250-144

Resharpener of Blade

Saw Blade Lubricant #250-176
minimizes burr - enables blade to last longer
For Table Saw Blade Only



Trophy Aluminum

Diamond Engraving
Sheet Size: 12"x24"x.025 Thick

COLORS	FINISH	FINISH
BLACK	BRIGHT GLOSS	BRUSH SATIN
SILVER	BRIGHT GLOSS	BRUSH SATIN
GOLD	BRIGHT GLOSS	BRUSH SATIN
RED	BRIGHT GLOSS	BRUSH SATIN
BLUE	BRIGHT GLOSS	BRUSH SATIN
GREEN	BRIGHT GLOSS	BRUSH SATIN



Anodized Aluminum

Diamond or Rotary Engraving
Sheet Size: 12"x 24"

COLORS

1/32" Thickness 1/16" Thickness 1/8" Thickness

Clear Anodized Aluminum


Black Anodized Aluminum

Corner Mate

Dress the Corners of Your Plate, With The Bellco Corner Mate!

Cuts Clean • No Burrs • Rounds, Notches, Scallop or Hole Punches Corners • Heavy Duty Base

Capacity .020 brass, .025 aluminum, .020 steel & .0625 plastic




#590-272

Base

Cutting Units

KB-600 Beveler



**Frame the Edges of Your
Nameplates with a Quality, Smooth
Finished Edge by Using the
Bellco Beveler**

11/16 Cutter Standard

Bevels Material up to 1/4" Thick

Table Size 4" x 16-1/2"

Motor Belt

Long Lasting Industrial Quality Beveler

60w Motor - **Quiet Operation**

End Stops For Copy Slides

	5/8" No. 830-205		1-1/4" No. 830-225
---	---------------------	---	-----------------------

Nose Cones for cutter depth regulation, fits all Bellco Manual Machines

Nose Cone Type	 Fine Line	 General	 Profiling
STEEL	No. 800-300	No. 800-305	No. 800-309
NYLON	No. 800-330	No. 800-335	No. 800-339

Motor Belts

MACHINE	NUMBER
PM-3, PM-5, PM-5CA	850-190
KB-200Beveler	850-191
Dahlgren® Wizzard	850-192



Bellco Cutters

Engraving Cutter Chart

The size of the cutter tip is determined by the height of character. For example, a 1/4" high letter requires a .030 cutter tip.

SIZE OF CUTTER TIP	.020"	.030"	.040"	.060"	.090"	.125"	.171"	.250"
ENGRAVED CHARACTER FLAT BOTTOM CUT	E	E	E	E	E	E	E	E
HEIGHT OF CHARACTER	1/8"	1/4"	5/16"	1/2"	3/4"	1"	1 1/2"	2"

1/8" x 1" Cutter -Available in tip sizes from .010" - .125"

or use with Bellco PM-3 (old models) , PM-5, PM-5CA, KB-200 Beveler, Scott ® SM-200, SM-300, SM-400

Actual Size



Pkg. of 6 - 1 EA .010, .020, .030 .040, .060, .090	Pkg. of 12 2 ea. .010, .020, .030 .040, .060 1 ea. .090, .125
--	---

1/4" x 2" Cutter (straight shank)- Available in tip sizes from .010" - .250"

for use with industrial engraving machines, industrial NC machines, Green D-2; double ended cutter

#900-010

Actual Size



Taper Shank Cutter - Available in tip sizes from .010" - .250"

for use with GoIn Alexander ®, Deckel®

#900-102

Actual Size



Digital Calipers 6"


This handy 6" caliper is used to measure your depth of engraving, material thickness and letter height in a precise manner giving you a digital display of measurements - **NO MORE GUESSWORK!**



(See page 25 for more measuring tools)

Available in tip sizes from .010" - .125"

for use with PM-3, PM-5, PM-5C New Hermes® M, IL-II, ILK-II, Beveler, Dahlgren® System One, Wizzard: KB-600; Roland Beveler, Xenetech®



Carbide, standard
1/2 round

Carbide, Half Round #800-108	Diamond #800-108DIA
---------------------------------	------------------------

11/64" x 6" Cutter- Available in tip sizes from .010" - .171"

for use with New Hermes® ITF-KII, ITX, GTX Universal; Dahlgren® System One, Domiteaux; H-Square: Xenetech® Roland®



Carbide, standard
1/2 round

Carbide, Half Round #800-106	Diamond #800-106DIA
---------------------------------	------------------------

1/4" x 6-1/2" Cutter- Available in tip sizes from .010" - .250"

for use with New Hermes® IRX-IV, IRK-KIV; Dahlgren® System Two, System One (1/4" spindle); H-Square (1/4" spindle) Xenetech®



Carbide, standard
1/2 round


Carbide, Half Round #800-104	Diamond #800-104DIA
---------------------------------	------------------------

Cutter Resharpener Service - We Sharpen Your Cutters ... They Are Not Exchanged!

Brass Cutter Head Knobs 1/4 #840-104 6.00ea.


Roland Knob

#C2-125 \$6.00ea.



11/64 #840-106
1/8 #840-108

Cutter Head Wrenches #800-195



Diamond Wheel Resin Bonded for optimum grinding efficiency • Long Lasting #840-108
For Bellco Kantograph G-90 4" dia.


For New Hermes® CG5
2-1/4" dia. #840-106



Adhesives, Glue, Etc.




Magnetic Tape - 3/4" wide - 1/16" thick • order by the strip 24" long (10 strip min.)
or by the roll - 100 ft. roll
#220-131




Steel Tape - 1-1/4" wide x 60 yards - Steel tape with adhesive
#220-165




Double Faced Foam Tape - sticks wall signs to almost any surface •
available in 1/2", 3/4" and 1" wide rolls • 72 yards per roll • 1/32" thick
#220-117 1/2" wide
#220-117 3/4" wide
#220-117 1" wide




Foam Tape Disks - 3/4" dia. & 1.25" dia. - 1/32" thick • 500 pcs. per roll
#220-115 3/4" Diameter
#220-116 1-1/4" dia.



Regular Double Faced Tape - adheres to copy table to hold mastertype
1/2" wide x 36 yard roll
#220-118



Adhesive Backing Sheets - omit holes & screws • adhesive on both
sides • just stick nameplate to wood or metal surface • sheet size 8" x 10"
#200-110



Hot Stamping Die Tape - Adheres zinc, brass, aluminum, etc. dies under
pressure and heat • Easy removal while hot. 4" wide x 60 yards
#220-153



3M Scotch-Grip Cement - Adheres metal to plastic • bonds material to
stay • strong & long lasting • 5 oz. tubes
#210-119




Acrylic Plexiglu Liquid Solvent for welding a variety of acrylics & for
welding plastic letters to plexiglas • 4 oz. cans
#240-143

Bellco Tools to Enhance Your Engraving

Calipers - All engravers need this item!! This handy 6" caliper is used to measure your depth of engraving, material thickness and letter height in a precise manner - **NO MORE GUESSWORK!** Features: Stainless Steel, covered rack, 4 way measurement: Inside, Outside, Depth, Inches, mm scale

#610-5026



Depth Gauge - Micrometer depth gauge enables engravers to accurately check the depth of engraving in increments of .001

#610-4054



Paint Filling Tool -

#610-7500

Convenient • Quick • Clean • Easy to Use

For use in engraving & paint filling. No outside source/compressed air needed. Comes with 4 different easy to change tip sizes. A must for engravers who color fill.



Hand Held Engraver-

#250-170

Vibrating Point - variable speed - calibrated stroke adjustment dial controls engraving depth. Great for Marking Your Valuables, or Personal Property.



Paint Filling Sticks

#250-120

Lacquer Paint Sticks - White, Black, Red, Blue, Green, Yellow, Orange, Silver or Gold



Velcro- #250-000 & 250-001

sticky back hook 3/4" X 25 yds. (250-000)
sticky back loop 3/4" X 25 yds. (250-001)



Bead Chain & Couplings - Nickle Plated Chain - #132-020 (500 ft. roll) (20 ft. minimum)



Couplings - #132-100



Bellco Holders

Desk Plate Holder 2" with 1/16" slot



8"		10"	
Gold	Silver	Gold	Silver
101-084	101-085	101-104	101-105

Desk Plate Holder 1-1/2" with 1/16" slot



9"		9"	
Gold	Silver	Gold	Silver
101-094	101-095	101-094	101-095

Desk Plate Holder 1" with 1/16" slot



7"		7"	
Gold	Silver	Gold	Silver
101-074	101-075	101-074	101-075

Nameplate Bases with 1/16" slot



8"		10"	
Gold	Silver	Gold	Silver
102-084	102-085	102-104	102-105

Flat Wall Plate Holders with 1/16" slot



1" are non-ridge style • 2" are ridge style

Size	Gold #	Silver #
1" x 8"	137-184	137-185
1" x 10"	142-104	142-105
1" x 36"	154-264	154-265
2" x 8"	141-284	141-285
2" x 10"	156-214	156-215
2" x 36"	157-264	157-265

Wall Brackets for projecting signs with
1/8" slot - includes cap nuts & screws



Size	Gold #	Silver #
2"	138-204	138-205
3"	139-304	139-305
4"	140-404	140-405
5"	180-504	180-505

Walnut Nameplate Blocks



2" x 8"	2" x 10"
104-086	104-106

Belco offers a complete line of JRS frames & nameplates!



Enhance any sign or nameplate with a wide variety of frames:

- Euro Style
- Curves
- Premiere & Premiere Plus Frames (beveled, boxed or radius profile)
- Architectural Aluminum
- Decorative Bars
- Architectural Plastic Frames & Lenses

Bellco Handicapped Signs & Posts

Signs which give direction to disabled persons for the most convenient access to parking, entrances & locations of special facilities. For use inside and outside.



#109-496
12" x 18"
18 gauge steel
Non-Reflective
3 lbs.



#109-497
12" x 18"
18 gauge steel
Non-Reflective
3 lbs.



#109-498
12" x 18"
18 gauge steel
Non-Reflective
3 lbs.



#109-500
12" x 18"
18 gauge steel
Non-Reflective
Your Message in
High Performance
Vinyl

Steel Posts • Green Enamel • U-Channel Posts - Heavy Rail Steel, Weight 2 lbs. per foot
Punched with 3/8" holes - 1" center to fit all signs above.

8' #U10-800
10' #U10-100



Office lobbies,
hallways, etc. - non adjustable
Overall Height is 54"

Model BH-22 14" x 22"
Model BH-28 22" x 28"



Insert plates are not included in price above. You can engrave, vinyl letter or Bell Company will be glad to quote you a price on engraving or lettering the insert for you!

Adjustable Sign Holders & Bases


Chrome Cardholders will hold an engraved sign 1/16" thick which can be read from both sides.

Cardholder Sizes:

#912 5-1/2" x 7"
#913 7" x 11"
#914 11" x 14"

Bases & Extendible Poles:

#818	5/8" x 18" x 36"	8" base
#824	5/8" x 24" x 48"	8" base
#836	5/8" x 36" x 72"	8" base
#618	5/8" x 18" x 36"	6" base
#624	5/8" x 24" x 48"	6" base
#409	3/8" x 9" x 18"	4" base
#412	3/8" x 12" x 24"	4" base
#418	3/8" x 18" x 36"	4" base



Bellco Custom A.D.A. Signage

Wholesale Pricing for Distributors Only

Interior Photopolymer A.D.A. Signage & Exterior Cast Acrylic A.D.A. Signage

Special Color Matching Available - Logos Easily Incorporated into Sign.



**EXPAND YOUR
SIGN BUSINESS
& GROW YOUR
PROFITS with**

WHOLESALE ADA SIGNAGE by *Bellco*

- Photopolymer
- Thermo-Compression Durabell®
- Direct Print UV/LED
- Applique / Raster

Call for Price Lists, Catalog, Color Charts and a Sample
Fax in Specifications for Quick Quotations!

Stock A.D.A. Signage

In Stock Signs- injection molded plastic

Color choice of: dark brown background with white letters or blue with white letters.

Stock size is 6" x 9" • rounded corners • Helvetica type style with foam tape mtg.



#ADA-001



#ADA-002



#ADA-003



#ADA-004




#ADA-005



#ADA-010
6" x 6"

BellCo Laser Cut Acrylic Letters

Letters cut from flat sheet acrylic 1/8", 1/4", 3/8", 1/2", 3/4", 1" thick. Easy to install, painted to match PMS colors. Laser cut allows fine detail, sometimes not possible with routers. Artwork for letters & logos works best if submitted in vector format. Letter styles most commonly used, Helvetica Condensed, Times New Roman, others available. NOTE: Punctuations 30% of Letter Price.



Logos Laser Cut

Please send art in vector format. Advise size, color, thickness & qty. Save money when you buy more than one. Mounting by foam tape. Can do most any size.

Ask for quotation

Spacing Templates

Included in the price of the letters. Makes your job easy.



Bellco has its own modern paint facility, using only the best of paint and supply "Matthews Paint" the leader in the coating industry. Bellco has its own mixing color lab where by Pantone colors are matched to the closes tolerance. Once the color has been approved we are then ready to paint your order. Finishes: Matte, Satin, Gloss, Clear Coat Gloss, Clear Coat Satin.



Let us Help You Expand Your Business With Other Bellco Products!



Cast Bronze & Cast Aluminum Plaques




Wholesale Custom A.D.A. Signage



Custom Made Stencils



Custom Vehicle Graphics



Custom Engraved & Sublimated Desk Sets

Bell Company offers many products
at Wholesale Distributor Prices.

This enables you to resale products
that you may be incapable of
producing in house ... let us help you ~

**“DON'T TURN AWAY BUSINESS ...
TURN TO BELLCO”**



Industrial Engraving & Marking



Quality & Service
Since 1946

8327 Parkway Dr, Leeds, AL, 35094

Phone (800) 828-3564 • (205) 702-6460 • Fax (205) 702-6004

www.bellcoinc.com

©copyright 2020