



COLOR CHART

Laser | Rotary | Print

Product Material Selection

MATTES



Red/White	Burgundy/White	Orange/White	Yellow/Black	Bright Green/White	Celadon Green/White	Pine Green/White	Light Blue/White	Sapphire/White
212-602 2-ply 1/32" 222-602 2-ply 1/16" 232-602 3-ply 1/16" 243-602 3-ply 1/8"	222-622 2-ply 1/16" 243-622 3-ply 1/8"	222-612 2-ply 1/16" 243-612 3-ply 1/8"	212-744 2-ply 1/32" 222-744 2-ply 1/16" 232-744 3-ply 1/16" 243-744 3-ply 1/8"	212-932 2-ply 1/32" 222-932 2-ply 1/16" 232-932 3-ply 1/16" 243-932 3-ply 1/8"	222-972 2-ply 1/16" 243-972 3-ply 1/8"	222-912 2-ply 1/16" 243-912 3-ply 1/8"	222-562 2-ply 1/16" 243-562 3-ply 1/8"	222-502 2-ply 1/16" 243-502 3-ply 1/8"
Blue/White	Navy Blue/White	China Blue/White	Purple/White	Almond/Black	Ivory/Dark Brown	Med. Brown/White	Dark Brown/White	White/Red
212-512 2-ply 1/32" 222-512 2-ply 1/16" 232-512 3-ply 1/16" 243-512 3-ply 1/8"	222-552 2-ply 1/16" 243-552 3-ply 1/8"	222-382 2-ply 1/16" 243-382 3-ply 1/8"	222-582 2-ply 1/16" 243-582 3-ply 1/8"	222-854 2-ply 1/16" 243-854 3-ply 1/8"	222-228 2-ply 1/16" 243-228 3-ply 1/8"	222-822 2-ply 1/16" 243-822 3-ply 1/8"	222-842 2-ply 1/16" 243-842 3-ply 1/8"	212-206 2-ply 1/32" 222-206 2-ply 1/16" 243-206 3-ply 1/8"
White/Burgundy	White/Bright Green	White/Blue	White/Black	Light Grey/Burgundy	Light Grey/Marine Blue	Light Grey/Black	Grey/White	Black/White
222-226 2-ply 1/16" 243-226 3-ply 1/8"	222-209 2-ply 1/16" 243-209 3-ply 1/8"	212-205 2-ply 1/32" 222-205 2-ply 1/16" 243-205 3-ply 1/8"	212-204 2-ply 1/32" 222-204 2-ply 1/16" 232-204 3-ply 1/16" 243-204 3-ply 1/8"	222-326 2-ply 1/16" 243-326 3-ply 1/8"	222-325 2-ply 1/16" 243-325 3-ply 1/8"	222-324 2-ply 1/16" 243-324 3-ply 1/8"	222-312 2-ply 1/16" 243-312 3-ply 1/8"	212-402 2-ply 1/32" 222-402 2-ply 1/16" 232-402 3-ply 1/16" 243-402 3-ply 1/8"
Black/Bright White	Walnut/White	English Walnut/Bright White	Black Walnut/White					
222-412 2-ply 1/16" 243-412 3-ply 1/8"	222-172 2-ply 1/16" 243-172 3-ply 1/8"	222-192 2-ply 1/16" 243-192 3-ply 1/8"	222-002 2-ply 1/16" 243-002 3-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material
Microsurfaced ABS

Finish
Matte non-glare

Sheet Size
24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth
.003" // 0.08mm

Usage
Interior signage
Personal identification
Permits fine detail engraving
Trophies, awards & plaques

Capabilities
Bevels
Drills
Saws
Shears

Bonds
Heat bendable
Scores
Silk screens

Braille-engravable
Hot stamps
Screen prints

LACQUERS



Red/White	Yellow/Black	Safety Yellow/Black	Bright Green/White	Teal/White	Blue/White	Sapphire/White	White/Red	White/Blue
422-602 2-ply 1/16" 442-602 2-ply 1/8"	422-704 2-ply 1/16" 442-704 2-ply 1/8"	422-794 2-ply 1/16" 442-794 2-ply 1/8"	422-932 2-ply 1/16" 442-932 2-ply 1/8"	422-962 2-ply 1/16" 442-962 2-ply 1/8"	422-512 2-ply 1/16" 442-512 2-ply 1/8"	422-562 2-ply 1/16" 442-562 2-ply 1/8"	422-206 2-ply 1/16" 442-206 2-ply 1/8"	422-205 2-ply 1/16" 442-205 2-ply 1/8"
White/Black	Black/White	Vintage Gold/Black	Vintage Silver/Black					
422-204 2-ply 1/16" 442-204 2-ply 1/8"	422-402 2-ply 1/16" 442-402 2-ply 1/8"	422-774 2-ply 1/16" 442-774 2-ply 1/8"	422-384 2-ply 1/16" 442-384 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material
Laminated impact acrylic

Finish
Gloss

Sheet Size
24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth
.012" // 0.30mm

Usage
Exterior signage
Interior signage
Personal identification
Outdoor weatherable

Capabilities
Bevels
Embosses
Ink prints
Saws
Thermal prints

Bonds
Heat bendable
Laser vector cuts
Screen prints
UV stable

Drills
Hot stamps
Paint fill
Shears

ULTRA-MATTES *Front Engravable*



Red/White	Red/Yellow	Dusty Rose/White	Ruby/White	Garnet/Ash	Canyon/Ash	Canyon/Cement	Yellow/Black	Safety Yellow/Black
322-602 2-ply 1/16" 342-602 2-ply 1/8" 343-602 3-ply 1/8"	322-607 2-ply 1/16" 342-607 2-ply 1/8" 343-607 3-ply 1/8"	322-662 2-ply 1/16" 342-662 2-ply 1/8" 343-662 3-ply 1/8"	322-632 2-ply 1/16" 342-632 2-ply 1/8" 343-632 3-ply 1/8"	322-642 2-ply 1/16" 342-642 2-ply 1/8" 343-642 3-ply 1/8"	322-862 2-ply 1/16" 342-862 2-ply 1/8" 343-862 3-ply 1/8"	322-823 2-ply 1/16" 342-823 2-ply 1/8" 343-823 3-ply 1/8"	322-704 2-ply 1/16" 342-704 2-ply 1/8" 343-704 3-ply 1/8"	322-794 2-ply 1/16" 342-794 2-ply 1/8" 343-794 3-ply 1/8"
Bright Green/White	Celadon Green/White	Hunter Green/White	Hunter Green/Gold	Black Forest Green/White	Sea Grey/White	Balsam/Ash	Teal/White	Ocean Blue/White
322-932 2-ply 1/16" 342-932 2-ply 1/8" 343-932 3-ply 1/8"	322-972 2-ply 1/16" 342-972 2-ply 1/8" 343-972 3-ply 1/8"	322-992 2-ply 1/16" 342-992 2-ply 1/8" 343-992 3-ply 1/8"	322-997 2-ply 1/16" 342-997 2-ply 1/8" 343-997 3-ply 1/8"	322-902 2-ply 1/16" 342-902 2-ply 1/8" 343-902 3-ply 1/8"	322-312 2-ply 1/16" 342-312 2-ply 1/8" 343-312 3-ply 1/8"	322-942 2-ply 1/16" 342-942 2-ply 1/8" 343-942 3-ply 1/8"	322-962 2-ply 1/16" 342-962 2-ply 1/8" 343-962 3-ply 1/8"	322-592 2-ply 1/16" 342-592 2-ply 1/8" 343-592 3-ply 1/8"
Blue/White	Blue/Yellow	Sapphire/White	Blueberry/Gold	Blueberry/White	China Blue/White	Ash/Garnet	Ash/Cinder	Sandalwood/Canyon
322-512 2-ply 1/16" 342-512 2-ply 1/8" 343-512 3-ply 1/8"	322-517 2-ply 1/16" 342-517 2-ply 1/8" 343-517 3-ply 1/8"	322-562 2-ply 1/16" 342-562 2-ply 1/8" 343-562 3-ply 1/8"	322-527 2-ply 1/16" 342-527 2-ply 1/8" 343-527 3-ply 1/8"	322-542 2-ply 1/16" 342-542 2-ply 1/8" 343-542 3-ply 1/8"	322-382 2-ply 1/16" 342-382 2-ply 1/8" 343-382 3-ply 1/8"	322-246 2-ply 1/16" 342-246 2-ply 1/8" 343-246 3-ply 1/8"	322-244 2-ply 1/16" 342-244 2-ply 1/8" 343-244 3-ply 1/8"	322-218 2-ply 1/16" 342-218 2-ply 1/8" 343-218 3-ply 1/8"
Sandalwood/Balsam	Parchment/Black	Ivory/Dark Brown	Beige/White	Beige/Dark Brown	Taupe/White	Driftwood/Alpine	White/Red	White/Blue
322-219 2-ply 1/16" 342-219 2-ply 1/8" 343-219 3-ply 1/8"	322-814 2-ply 1/16" 342-814 2-ply 1/8" 343-814 3-ply 1/8"	322-228 2-ply 1/16" 342-228 2-ply 1/8" 343-228 3-ply 1/8"	322-832 2-ply 1/16" 342-832 2-ply 1/8" 343-832 3-ply 1/8"	322-838 2-ply 1/16" 342-838 2-ply 1/8" 343-838 3-ply 1/8"	322-802 2-ply 1/16" 342-802 2-ply 1/8" 343-802 3-ply 1/8"	322-595 2-ply 1/16" 342-595 2-ply 1/8" 343-595 3-ply 1/8"	322-206 2-ply 1/16" 342-206 2-ply 1/8" 343-206 3-ply 1/8"	322-205 2-ply 1/16" 342-205 2-ply 1/8" 343-205 3-ply 1/8"
White/Black	White/Gold	Cement/Garnet	Cement/Canyon	Graphite/White	Cinder/Clay	Cinder/White	Charcoal Grey/White	Dark Brown/White
322-204 2-ply 1/16" 342-204 2-ply 1/8" 343-204 3-ply 1/8"	322-217 2-ply 1/16" 342-217 2-ply 1/8" 343-217 3-ply 1/8"	322-236 2-ply 1/16" 342-236 2-ply 1/8" 343-236 3-ply 1/8"	322-238 2-ply 1/16" 342-238 2-ply 1/8" 343-238 3-ply 1/8"	322-392 2-ply 1/16" 342-392 2-ply 1/8" 343-392 3-ply 1/8"	322-413 2-ply 1/16" 342-413 2-ply 1/8" 343-413 3-ply 1/8"	322-432 2-ply 1/16" 342-432 2-ply 1/8" 343-432 3-ply 1/8"	322-302 2-ply 1/16" 342-302 2-ply 1/8" 343-302 3-ply 1/8"	322-842 2-ply 1/16" 342-842 2-ply 1/8" 343-842 3-ply 1/8"
Black/Silver	Black/White	Black/Yellow	Black/Gold	Vintage Gold/Black	Vintage Silver/Black			
322-423 2-ply 1/16" 342-423 2-ply 1/8" 343-423 3-ply 1/8"	322-402 2-ply 1/16" 342-402 2-ply 1/8" 343-402 3-ply 1/8"	322-407 2-ply 1/16" 342-407 2-ply 1/8" 343-407 3-ply 1/8"	322-417 2-ply 1/16" 342-417 2-ply 1/8" 343-417 3-ply 1/8"	322-774 2-ply 1/16" 342-774 2-ply 1/8" 343-774 3-ply 1/8"	322-384 2-ply 1/16" 342-384 2-ply 1/8" 343-384 3-ply 1/8"			

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage ADA compliant Exterior signage Interior signage Personal identification Tactile signage	Capabilities Bevels Drills Laser vector cuts Screen prints Thermal prints	Bonds Heat bendable Outdoor weatherable Shears UV stable	Braille-engravable Hot stamps Saws Silk screens UV-printable
Finish Matte non-glare	Engraving Depth .012" // 0.30mm				

SLICKERS



Clear/Red	Clear/Yellow	Clear/Sapphire	Clear/White	Clear/Black	Clear/Clear
412-600 2-ply 1/32" 442-600 2-ply 1/16" 442-600 2-ply 1/8"	412-700 2-ply 1/32" 442-700 2-ply 1/16" 442-700 2-ply 1/8"	412-560 2-ply 1/32" 442-560 2-ply 1/16" 442-560 2-ply 1/8"	412-200 2-ply 1/32" 442-200 2-ply 1/16" 442-200 2-ply 1/8"	412-400 2-ply 1/32" 442-400 2-ply 1/16" 442-400 2-ply 1/8"	411-100 1-ply 1/32" 442-100 1-ply 1/16" 442-100 1-ply 1/8"

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Exterior signage Interior signage Personal identification Outdoor weatherable	Capabilities Back-lighting Drills Laser vector cuts Shears UV stable	Bevels Heat bendable Paint fill Silk screens UV-printable	Bonds Hot stamps Saws Thermal prints
Finish Gloss	Engraving Depth .012" // 0.30mm				

ULTRA-MATTES *Reverse Engravable*



Matte/Red	Matte/Dusty Rose	Matte/Ruby	Matte/Canyon	Matte/Orange	Matte/Yellow	Matte/Bright Green	Matte/Celadon Green	Matte/Hunter Green
312-601 2-ply 1/32" 322-601 2-ply 1/16" 342-601 2-ply 1/8"	312-661 2-ply 1/32" 322-661 2-ply 1/16" 342-661 2-ply 1/8"	312-631 2-ply 1/32" 322-631 2-ply 1/16" 342-631 2-ply 1/8"	312-861 2-ply 1/32" 322-861 2-ply 1/16" 342-861 2-ply 1/8"	312-651 2-ply 1/32" 322-651 2-ply 1/16" 342-651 2-ply 1/8"	312-701 2-ply 1/32" 322-701 2-ply 1/16" 342-701 2-ply 1/8"	312-911 2-ply 1/32" 322-911 2-ply 1/16" 342-911 2-ply 1/8"	312-931 2-ply 1/32" 322-931 2-ply 1/16" 342-931 2-ply 1/8"	312-991 2-ply 1/32" 322-991 2-ply 1/16" 342-991 2-ply 1/8"
Matte/Black Forest Green	Matte/Sea Grey	Matte/Teal	Matte/Ocean Blue	Matte/Blue	Matte/Sapphire	Matte/Blueberry	Matte/China Blue	Matte/Beige
312-901 2-ply 1/32" 322-901 2-ply 1/16" 342-901 2-ply 1/8"	312-311 2-ply 1/32" 322-311 2-ply 1/16" 342-311 2-ply 1/8"	312-921 2-ply 1/32" 322-921 2-ply 1/16" 342-921 2-ply 1/8"	312-591 2-ply 1/32" 322-591 2-ply 1/16" 342-591 2-ply 1/8"	312-511 2-ply 1/32" 322-511 2-ply 1/16" 342-511 2-ply 1/8"	312-561 2-ply 1/32" 322-561 2-ply 1/16" 342-561 2-ply 1/8"	312-541 2-ply 1/32" 322-541 2-ply 1/16" 342-541 2-ply 1/8"	312-381 2-ply 1/32" 322-381 2-ply 1/16" 342-381 2-ply 1/8"	312-831 2-ply 1/32" 322-831 2-ply 1/16" 342-831 2-ply 1/8"
Matte/Taupe	Matte/Cinder	Matte/Charcoal Grey	Matte/Dark Brown	Matte/Vintage Gold	Matte/Vintage Silver	Matte/Graphite	Matte/Black	Matte/White
312-801 2-ply 1/32" 322-801 2-ply 1/16" 342-801 2-ply 1/8"	312-431 2-ply 1/32" 322-431 2-ply 1/16" 342-431 2-ply 1/8"	312-301 2-ply 1/32" 322-301 2-ply 1/16" 342-301 2-ply 1/8"	312-841 2-ply 1/32" 322-841 2-ply 1/16" 342-841 2-ply 1/8"	312-731 2-ply 1/32" 322-731 2-ply 1/16" 342-731 2-ply 1/8"	312-371 2-ply 1/32" 322-371 2-ply 1/16" 342-371 2-ply 1/8"	312-391 2-ply 1/32" 322-391 2-ply 1/16" 342-391 2-ply 1/8"	312-401 2-ply 1/32" 322-401 2-ply 1/16" 342-401 2-ply 1/8"	312-201 2-ply 1/32" 322-201 2-ply 1/16" 342-201 2-ply 1/8"
Matte/Ash	Matte/Sandalwood	Matte/Parchment	Matte/Ivory	Matte/Cement	Matte/Driftwood	Matte/Clear		
312-221 2-ply 1/32" 322-221 2-ply 1/16" 342-221 2-ply 1/8"	312-211 2-ply 1/32" 322-211 2-ply 1/16" 342-211 2-ply 1/8"	312-811 2-ply 1/32" 322-811 2-ply 1/16" 342-811 2-ply 1/8"	312-231 2-ply 1/32" 322-231 2-ply 1/16" 342-231 2-ply 1/8"	312-241 2-ply 1/32" 322-241 2-ply 1/16" 342-241 2-ply 1/8"	312-581 2-ply 1/32" 322-581 2-ply 1/16" 342-581 2-ply 1/8"	311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"		

TECHNICAL SPECIFICATIONS

Material
Laminated impact acrylic

Finish
Matte non-glare

Sheet Size
24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth
.012" // 0.30mm

Usage
ADA compliant
Exterior signage
Interior signage
Personal identification
Tactile signage

Capabilities
Back-lighting
Braille-engraversable
Heat bendable
Laser vector cuts
Saws

Bevels
Drills
Hot stamps
Outdoor weatherable
Screen prints

Bonds
Embosses
Ink prints
Paint fill
UV stable

SAFE-T-MARK™



Red/White	Vibrant Orange/Black	Yellow/Black	Bright Green/White	Blue/White	White/Black	Grey/White	Grey/Black	Black/White
FR222-602 2-ply 1/16" FR223-602 3-ply 1/16"	FR222-624 2-ply 1/16" FR223-624 3-ply 1/16"	FR222-744 2-ply 1/16" FR223-744 3-ply 1/16"	FR222-932 2-ply 1/16" FR223-932 3-ply 1/16"	FR222-512 2-ply 1/16" FR223-512 3-ply 1/16"	FR222-204 2-ply 1/16" FR223-204 3-ply 1/16"	FR222-312 2-ply 1/16" FR223-312 3-ply 1/16"	FR222-314 2-ply 1/16" FR223-314 3-ply 1/16"	FR222-402 2-ply 1/16" FR223-402 3-ply 1/16"

TECHNICAL SPECIFICATIONS

Fabrication friendly alternative to traditional phenolic materials for indoor applications. Electrically non-conductive, insulative, fire retardant, non-ammable.

Material
Fire retardant functional polymer

Finish
Matte non-glare

Sheet Size
24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth
.003" // 0.08mm

Usage
Control panels
Equipment id tags
Safety signage
Electrically non-conductive
Non-ammable

Electrical tags
Industrial tags
Fire retardant
Insulative

Capabilities
Bevels
Drills
Hot stamps
Saws
Screen prints

Bonds
Heat bendable
Permits fine detail engraving
Scores
Shears

HEAVY WEIGHTS™



Red/White/Red	Red/Black/Red	Blue/White/Blue	White/Blue/White	Black/White/Black	White/Black/White	Tan/Green/Tan	Green/Tan/Green	Brown/White/Brown
HW853-602 3-ply 1/4" HW873-602 3-ply 1/2"	HW853-604 3-ply 1/4" HW873-604 3-ply 1/2"	HW853-512 3-ply 1/4" HW873-512 3-ply 1/2"	HW853-205 3-ply 1/4" HW873-205 3-ply 1/2"	HW853-402 3-ply 1/4" HW873-402 3-ply 1/2"	HW853-204 3-ply 1/4" HW873-204 3-ply 1/2"	HW853-797 3-ply 1/4" HW873-797 3-ply 1/2"	HW853-908 3-ply 1/4" HW873-908 3-ply 1/2"	HW853-802 3-ply 1/4" HW873-802 3-ply 1/2"

Green/White/Green	Yellow/Black/Yellow
HW853-902 3-ply 1/4" HW873-902 3-ply 1/2"	HW853-704 3-ply 1/4" HW873-704 3-ply 1/2"

TECHNICAL SPECIFICATIONS

Material
High-density polyethylene

Finish
Textured

Sheet Size
24" x 48" // 610mm x 1219mm

Engraving Depth
1/4"=.030" // 0.8mm
1/2"=.060" // 1.5mm

Usage
Architectural signage
Exterior signage
Interior signage
Recreational signage
Outdoor Weatherable

Capabilities
Drills
Hot stamps
Saws
UV Stable

SATINS



Red/ White 112-602 2-ply 1/32" 122-602 2-ply 1/16" 123-602 3-ply 1/16" 132-602 2-ply 3/32" 143-602 3-ply 1/8"	Red/ Black 122-604 2-ply 1/16" 143-604 3-ply 1/8"	Red/ Yellow 122-607 2-ply 1/16" 143-607 3-ply 1/8"	Burgundy/ White 122-622 2-ply 1/16" 143-622 3-ply 1/8"	Orange/ White 122-612 2-ply 1/16" 143-612 3-ply 1/8"	Orange/ Black 122-614 2-ply 1/16" 143-614 3-ply 1/8"	Yellow/ Black 112-704 2-ply 1/32" 122-704 2-ply 1/16" 123-704 3-ply 1/16" 132-704 2-ply 3/32" 143-704 3-ply 1/8"	Yellow/ Red 122-706 2-ply 1/16" 143-706 3-ply 1/8"	Yellow/ Blue 122-705 2-ply 1/16" 143-705 3-ply 1/8"
Bright Green/ White 112-932 2-ply 1/32" 122-932 2-ply 1/16" 123-932 3-ply 1/16" 132-932 2-ply 3/32" 143-932 3-ply 1/8"	Green/ White 122-902 2-ply 1/16" 143-902 3-ply 1/8"	Pine Green/ White 122-912 2-ply 1/16" 143-912 3-ply 1/8"	Aqua/ White 122-942 2-ply 1/16" 143-942 3-ply 1/8"	Blue/ White 112-512 2-ply 1/32" 122-512 2-ply 1/16" 123-512 3-ply 1/16" 132-512 2-ply 3/32" 143-512 3-ply 1/8"	Blue/ Yellow 122-517 2-ply 1/16" 143-517 3-ply 1/8"	Blue/ Silver 122-533 2-ply 1/16"	Navy Blue/ White 122-552 2-ply 1/16" 143-552 3-ply 1/8"	Air Force Blue/ White 122-532 2-ply 1/16" 143-532 3-ply 1/8"
Metallic Blue/ White 122-542 2-ply 1/16" 143-542 3-ply 1/8"	Purple/ White 122-582 2-ply 1/16" 143-582 3-ply 1/8"	Almond/ Black 122-854 2-ply 1/16" 143-854 3-ply 1/8"	Ivory/ Dark Brown 122-228 2-ply 1/16" 143-228 3-ply 1/8"	Beige/ Dark Brown 122-838 2-ply 1/16" 143-838 3-ply 1/8"	Beige/ White 122-832 2-ply 1/16" 143-832 3-ply 1/8"	Med. Brown/ White 122-822 2-ply 1/16" 143-822 3-ply 1/8"	Dark Brown/ White 122-842 2-ply 1/16" 143-842 3-ply 1/8"	White/ Red 122-206 2-ply 1/16" 143-206 3-ply 1/8"
Polar White/ Red 122-246 2-ply 1/16"	White/ Orange 122-216 2-ply 1/16" 143-216 3-ply 1/8"	White/ Bright Green 122-209 2-ply 1/16" 143-209 3-ply 1/8"	Polar White/ Bright Green 122-239 2-ply 1/16"	White/ Pine Green 122-269 2-ply 1/16" 143-269 3-ply 1/8"	White/ Blue 122-205 2-ply 1/16" 143-205 3-ply 1/8"	Polar White/ Blue 122-235 2-ply 1/16"	White/ Dark Brown 122-208 2-ply 1/16" 143-208 3-ply 1/8"	White/ Black 112-204 2-ply 1/32" 122-204 2-ply 1/16" 123-204 3-ply 1/16" 132-204 2-ply 3/32" 143-204 3-ply 1/8"
Polar White/ Black 122-234 2-ply 1/16" 123-234 2-ply 3/32" 143-234 3-ply 1/8"	Metallic Grey/ White 122-312 2-ply 1/16" 143-312 3-ply 1/8"	Battleship Grey/ White 122-362 2-ply 1/16" 143-362 3-ply 1/8"	Grey/ White 122-302 2-ply 1/16" 143-302 3-ply 1/8"	Grey/ Black 122-304 2-ply 1/16" 143-304 3-ply 1/8"	Black/ White 112-402 2-ply 1/32" 122-402 2-ply 1/16" 132-402 2-ply 3/32" 143-402 3-ply 1/8"	Black/ Bright White 122-412 2-ply 1/16" 143-412 3-ply 1/8"	Black/ Red 122-406 2-ply 1/16" 143-406 3-ply 1/8"	Black/ Yellow 122-407 2-ply 1/16" 143-407 3-ply 1/8"
Black/ Gold 122-417 2-ply 1/16" 143-417 3-ply 1/8"	Black/ Silver 122-423 2-ply 1/16" 143-423 3-ply 1/8"							

TECHNICAL SPECIFICATIONS

Material Acrylic cap, ABS core	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification	Capabilities Bevels Drills Hot stamps Scores Shears	Bonds Heat bendable Saws Screen prints Thermal prints
Finish Brushed	Engraving Depth .012" // 0.30mm			

NOMARK® PLUS & STANDARD METALS



Deep Bronze/ Black Standard: 512-884 2-ply 1/32" 522-884 2-ply 1/16" NoMark® Plus: 522-8840+ 2-ply 1/16"	Br. Gold/ Black Standard: 512-734 2-ply 1/32" 522-734 2-ply 1/16" NoMark® Plus: 522-7340+ 2-ply 1/16"	European Gold/ Black Standard: 512-754 2-ply 1/32" 522-754 2-ply 1/16" NoMark® Plus: 522-7540+ 2-ply 1/16"	Smooth Gold/ Black Standard: 512-714 2-ply 1/32" 522-714 2-ply 1/16" NoMark® Plus: 522-7140+ 2-ply 1/16"	Br. Aluminum/ Black Standard: 512-354 2-ply 1/32" 522-354 2-ply 1/16" NoMark® Plus: 522-3540+ 2-ply 1/16"	Br. Silver/ Black Standard: 512-334 2-ply 1/32" 522-334 2-ply 1/16" NoMark® Plus: 522-3340+ 2-ply 1/16"	Smooth Silver/ Black Standard: 512-344 2-ply 1/32" 522-344 2-ply 1/16" NoMark® Plus: 522-3440+ 2-ply 1/16"
--	---	--	--	---	---	--

TECHNICAL SPECIFICATIONS

NoMark® Plus is a clear acrylic protective coating to minimize finger prints, scratches and mars.

Material Microsurfaced ABS	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification Trophies, awards & plaques	Capabilities Bevels Heat bendable Saws Silk screens	Bonds Hot stamps Scores	Drills Permits fine detail engraving Shears
Finish Brushed metal	Engraving Depth .003" // 0.08mm				

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

MESSAGE BOARD

NEW



Dry Erase Bright White	Dry Erase Black	Chalkboard Pine Green	Chalkboard Bright White	Chalkboard Black
DE421204 1-ply 1/16" DE441204 1-ply 1/8"	DE421401 1-ply 1/16" DE441401 1-ply 1/8"	CB321902 1-ply 1/16" CB341902 1-ply 1/8"	CB321204 1-ply 1/16" CB341204 1-ply 1/8"	CB321401 1-ply 1/16" CB341401 1-ply 1/8"

TECHNICAL SPECIFICATIONS

Material Single-ply modified acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Craft and artistry projects Exterior signage Interior signage Novelty Signage component or substrate	Capabilities Bevels Heat bendable Outdoor weatherable Screen prints UV stable	Bonds Hot stamps Saws Shears UV-printable	Drills Laser vector cuts Scores Thermal prints
--	---	--	---	---	---

REFLEXIONS



Silver Mirror	Ice Silver Mirror	Platinum Mirror	Carbon Mirror	Bronze Mirror	Gold Mirror
RM942-340 2-ply 1/8"	RM942-341 2-ply 1/8"	RM942-351 2-ply 1/8"	RM942-300 2-ply 1/8"	RM942-870 2-ply 1/8"	RM942-730 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when lasering certain gauges.

Material Cell cast acrylic (PMMA)	Sheet Size 24" x 48" +1875" -0" // 610mm x 1219mm	Usage Craft and artistry projects Exterior signage Interior signage Permits fine detail engraving Signage component or substrate UV stable	Capabilities Back-lighting Drills Saws Thermal prints	Bevels Hot stamps Scores	Bonds Paint fill Screen prints
---	--	---	--	--------------------------------	--------------------------------------

LUCENT

NEW



Translucent Smoke	Translucent Green	Translucent Blue	Translucent Pink	Translucent Orange	Translucent Yellow	Translucent Clear
LC342-025 1-ply .025"	LC999-025 1-ply .025"	LC599-025 1-ply .025"	LC679-025 1-ply .025"	LC669-025 1-ply .025"	LC729-025 1-ply .025"	LC101-025 1-ply .025"

TECHNICAL SPECIFICATIONS

Masked on both sides for handling purposes. Rowmark branded masking is applied to the backside and a clear mask on matted surface side to protect the sheet during shipping and handling.

Material Single-ply modified acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Craft and artistry projects Engineering templates Interior signage Patterns Scrapbooking	Educational aids Exterior signage Painting stencils Rulers Templates or stencils	Capabilities Back- lighting Laser vector cuts Rotary vector cuts Scores UV-printable	Drills Pad prints Saws Screen prints
--	---	--	--	--	---

PRINTMARK®

Lasable & Rotary Products

NEW



White	Black	White/ Black	Black/ White	White/ Red	White/ Blue	Br. Aluminum/ Black	Br. Silver/ Black	Br. European Gold/Black
PM921-222 1-ply 1/16" ■PM231-010 1-ply 1/16"	PM921-444 1-ply 1/16" ■PM431-007 1-ply 1/16"	PM922-204 2-ply 1/16" ■PM922-234 2-ply 1/16"	PM922-402 2-ply 1/16"	PM922-206 2-ply 1/16"	PM922-205 2-ply 1/16"	PM922-354 2-ply 1/16"	PM922-334 2-ply 1/16"	PM922-754 2-ply 1/16"
Br. Gold/ Black								
PM922-734 2-ply 1/16"								

Rotary Only Products



Polar White/ Black	Polar White/ Blue	Polar White/ Red	Polar White/ Green	Black/ White	Blue/ White	Red/ White	Almond/ Black	White
PM122-234 2-ply 1/16"	PM122-235 2-ply 1/16"	PM122-246 2-ply 1/16"	PM122-239 2-ply 1/16"	PM122-402 2-ply 1/16"	PM122-512 2-ply 1/16"	PM122-602 2-ply 1/16"	PM122-854 2-ply 1/16"	PM123-222 1-ply 1/16"

TECHNICAL SPECIFICATIONS

Material Microsurfaced impact acrylic Laminated impact acrylic	Sheet Size 24.125" x 48.75" // 613mm x 1245mm	Usage Personal identification Signage or award component Craft and artistry projects Architectural signage	Capabilities Laser (vector cuts) Rotary Indoor Printable	Bevels Saw cutting Drills Shears
---	--	---	---	---

COLORHUES™ & COLORHUES^{EFX}



Flamingo* <i>Translucent</i> ● CH341-690 1-ply 1/8"	Lemon Zest* <i>Translucent</i> ● CH341-700 1-ply 1/8"	Citron* <i>Translucent</i> ● CH341-720 1-ply 1/8"	Ice Blue* <i>Translucent</i> ● CH341-500 1-ply 1/8"	Glass Green* <i>Translucent</i> ● CH341-900 1-ply 1/8"	Clear* <i>Translucent</i> ● CH341-100 1-ply 1/8" CH351-100 1-ply 1/4"	Clear Matte <i>Translucent</i> ● CH341-101 1-ply 1/8" CH351-101 1-ply 1/4"
Poppy <i>Translucent</i> CH341-601 1-ply 1/8"	Passion Fruit <i>Translucent</i> CH341-621 1-ply 1/8"	Cherry Blossom <i>Translucent</i> CH341-611 1-ply 1/8"	Phantom <i>Translucent</i> CH341-211 1-ply 1/8" CH351-211 1-ply 1/4"	Daffodil <i>Translucent</i> CH341-721 1-ply 1/8"	Citrus <i>Translucent</i> CH341-701 1-ply 1/8"	Kiwi <i>Translucent</i> CH341-931 1-ply 1/8"
Caribbean <i>Translucent</i> CH341-921 1-ply 1/8"	Pacific <i>Translucent</i> CH341-551 1-ply 1/8"	Wedgewood <i>Translucent</i> CH341-541 1-ply 1/8"	Glacier <i>Translucent</i> CH341-521 1-ply 1/8"	Wisteria <i>Translucent</i> CH341-581 1-ply 1/8"	Smoke <i>Translucent</i> CH341-441 1-ply 1/8"	Scarlet <i>Opaque</i> CH341-631 1-ply 1/8"
Mango <i>Opaque</i> CH341-651 1-ply 1/8"	Citronella <i>Opaque</i> CH341-791 1-ply 1/8"	Cobalt <i>Opaque</i> CH341-501 1-ply 1/8" CH351-501 1-ply 1/4"	Luxe Blue <i>Opaque</i> CH341-571 1-ply 1/8"	Storm Grey <i>Opaque</i> CH341-301 1-ply 1/8"	Bisque <i>Opaque</i> CH341-831 1-ply 1/8"	White <i>Opaque</i> CH341-201 1-ply 1/8" CH351-201 1-ply 1/4"
Black <i>Opaque</i> CH341-401 1-ply 1/8" CH351-401 1-ply 1/4"	Black/Flamingo <i>EFX</i> CH342-496 2-ply 1/8"	Black/Lemon Zest <i>EFX</i> CH342-407 2-ply 1/8"	Black/Citron <i>EFX</i> CH342-427 2-ply 1/8"	Black/Poppy <i>EFX</i> CH342-406 2-ply 1/8"	Black/Passion Fruit <i>EFX</i> CH342-426 2-ply 1/8"	Black/Daffodil <i>EFX</i> CH342-417 2-ply 1/8"
Black/Kiwi <i>EFX</i> CH342-439 2-ply 1/8"	Black/Pacific <i>EFX</i> CH342-455 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Cast acrylics have thickness variations that may present difficulties in applications where thickness tolerance is important (i.e. fitting into extrusions, thermoforming applications where walls must maintain uniform thickness and assembly of complex structures). Check gauge when non-contact engraving takes place, and to periodically re-check focal lengths when laser engraving. Multiple passes may be required when laser engraving certain gauges.

Material Cell cast acrylic (PMMA)	Sheet Size 24-1/8" x 48-3/4" +0, -.125" // 613mm x 1238mm	Usage ColorHues Craft and artistry projects Interior/exterior signage Signage component or substrate Tactile signage	Capabilities ColorHues Back-lighting Braille-engravable Hot stamps Permits fine detail engraving Scores UV-printable	Capabilities ColorHues Bevels Drills Laser vector cuts Screen prints	Capabilities ColorHues Bonds Heat bendable Paint fill Saws UV stable
Finish Matte non-glare (1 side) Gloss (1 side) *Gloss both sides ● Edge Glow	Engraving Depth ColorHues N/A (Single ply) EFX .003" // .08mm	Usage EFX Interior signage Restaurant/pub signage & displays Retail environments Illuminated wayfinding & directories Point-of-purchase	Capabilities EFX Scores Drills Screen Prints Fine Detail Back-lighting	Capabilities EFX Laser Vector Cuts Bevels Hot Stamps UV Stable Braille-engravable	Capabilities EFX Saws Heat Bendable Bonds Paintfill

FIBERGRAVE™



White FX301-201 1-ply .020" FX391-201 1-ply .040"	Black FX301-401 1-ply .020" FX391-401 1-ply .040"
--	--


TECHNICAL SPECIFICATIONS

Material Single-ply modified Acrylic	Sheet Size 24 1/8" x 48 3/4" // 613mm x 1238 mm	Usage Traceability Tags Name plates Identifies Utility markers Livestock tagging Signage Control panels Micromarking QR/Data matrix readable Barcode readable	Capabilities Marking on the "y" Fiber laser contrasting mark Multi-shade fiber laser marking CO2 vector cut Heat bendable/formable Fine detail Flexible Saws Shears Drills Bonds Scores UV-Stable
Finish Matte (1 side)	Engraving Depth 0.0mm (surface ablation)		



HARDWOOD COLLECTION™

NEW




RW1224-125CHE 1/8"
RW1824-125CHE 1/8"
RW1224-250CHE 1/4"
RW1824-250CHE 1/4"



RW1224-125MAP 1/8"
RW1824-125MAP 1/8"
RW1224-250MAP 1/4"
RW1824-250MAP 1/4"



RW1224-125OAK 1/8"
RW1824-125OAK 1/8"
RW1224-250OAK 1/4"
RW1824-250OAK 1/4"




RW1224-125WAL 1/8"
RW1824-125WAL 1/8"
RW1224-250WAL 1/4"
RW1824-250WAL 1/4"




RW1224-125MAH 1/8"
RW1824-125MAH 1/8"
RW1224-250MAH 1/4"
RW1824-250MAH 1/4"




RW1224-125CED 1/8"
RW1824-125CED 1/8"
RW1224-250CED 1/4"
RW1824-250CED 1/4"



RW1224-125SAS 1/8"
RW1824-125SAS 1/8"
RW1224-250SAS 1/4"
RW1824-250SAS 1/4"



RW1224-125BAM 1/8"
RW1824-125BAM 1/8"
RW1224-250BAM 1/4"
RW1824-250BAM 1/4"



RW1224-125ALD 1/8"
RW1824-125ALD 1/8"
RW1224-250ALD 1/4"
RW1824-250ALD 1/4"

TECHNICAL SPECIFICATIONS

Cedar contains naturally occurring exposed knots and grain patterns that will vary from sheet to sheet.

Material

Hardwood layered veneers

Finish

Natural/Unfinished

Sheet Size

12" x 24" // 305mm x 610mm

18" x 24" // 457mm x 610mm

Engraving Depth

N/A

Usage

Architectural models
Catalog/book covers
Craft and artistry projects
Key fobs
Picture frames
Promotional items

Business cards
Coasters
Interior signage
Ornaments
Plaques
Signage component

Capabilities

Bonds
Hot stamps
Paint fill
Screen prints
UV-printable

Drills
Laser vector cuts
Saws
Shears

COLORSHOP WOODS™

NEW




CW1212-125BLJ 1/8"
CW1224-125BLJ 1/8"



CW1212-125PLM 1/8"
CW1224-125PLM 1/8"



CW1212-125BLS 1/8"
CW1224-125BLS 1/8"



CW1212-125CAR 1/8"
CW1224-125CAR 1/8"




CW1212-125CLM 1/8"
CW1224-125CLM 1/8"




CW1212-125SUN 1/8"
CW1224-125SUN 1/8"




CW1212-125SAG 1/8"
CW1224-125SAG 1/8"



CW1212-125MER 1/8"
CW1224-125MER 1/8"



CW1212-125NTS 1/8"
CW1224-125NTS 1/8"



CW1212-125RAV 1/8"
CW1224-125RAV 1/8"




CW1212-125WHE 1/8"
CW1224-125WHE 1/8"



CW1212-125DNG 1/8"
CW1224-125DNG 1/8"



CW1212-125MSG 1/8"
CW1224-125MSG 1/8"



CW1212-125GRG 1/8"
CW1224-125GRG 1/8"



CW1212-125RSG 1/8"
CW1224-125RSG 1/8"



CW1212-125CDG 1/8"
CW1224-125CDG 1/8"




CW1212-125MOG 1/8"
CW1224-125MOG 1/8"



CW1212-125DTG 1/8"
CW1224-125DTG 1/8"



CW1212-125WWG 1/8"
CW1224-125WWG 1/8"



CW1212-125GPG 1/8"
CW1224-125GPG 1/8"

TECHNICAL SPECIFICATIONS

This product is masked on both sides. As with any natural wood product, there may be slight color variations from sheet to sheet and lot to lot. Actual milled sheet size is 11-7/8" x 23-3/16" and 11-7/8" x 11-7/8" with a 1/16" tolerance.

Material

Hardwood layered veneers

Finish

Satin Wood Finish
Grain Wood Finish ▲

Sheet Size

12" x 12" +.0" -.125" // 305mm x 305mm
12" x 24" +.0" -.125" // 305mm x 610mm

Engraving Depth

.005" // 0.13mm

Usage

Interior signage
Craft and artistry projects
Signage component or substrate

Capabilities

Bonds
Hot stamps
Paint fill
Screen prints

Drills
Laser vector cuts
Saws
UV-printable



ColorShop Woods™
Assorted



ColorShop Woods™
Raven & Blue Jay



Hardwood Collection™
Assorted



ColorShop Woods™
Merlot



Hardwood Collection™
Red Alder

Natural Wood Materials from Rowmark

With nearly 30 real-wood finishes for both laser and rotary engraving, Rowmark offers you a complete line of unique wood products.

Available through Authorized Rowmark Distributors Worldwide



Phone (205) 702-6460 Fax (205) 702-6004 www.bellcoinc.com



LASERMAX® NEW



Crimson/White LM912-602 2-ply 1/32" LM922-602 2-ply 1/16" LM942-602 2-ply 1/8" LM943-602 3-ply 1/8"	Crimson/Black LM922-604 2-ply 1/16"	Crimson/Yellow LM922-607 2-ply 1/16"	Claret/White LM922-622 2-ply 1/16"	Ribbon Pink/White LM922-662 2-ply 1/16"	Ribbon Pink/Black LM922-664 2-ply 1/16"	Tangerine/White LM922-612 2-ply 1/16"
Vibrant Orange/Black LM922-624 2-ply 1/16"	Canary/Black LM912-704 2-ply 1/32" LM922-704 2-ply 1/16" LM942-704 2-ply 1/8" LM943-704 3-ply 1/8"	Canary/Crimson LM922-706 2-ply 1/16"	Kelley Green/White LM912-932 2-ply 1/32" LM922-932 2-ply 1/16" LM942-932 2-ply 1/8"	Kelley Green/Black LM922-934 2-ply 1/16"	Celadon Green/White LM922-972 2-ply 1/16"	Evergreen/White LM912-912 2-ply 1/32" LM922-912 2-ply 1/16" LM942-912 2-ply 1/8"
Sky Blue/White LM912-512 2-ply 1/32" LM922-512 2-ply 1/16" LM942-512 2-ply 1/8" LM943-512 3-ply 1/8"	Sky Blue/Yellow LM922-517 2-ply 1/16"	Sapphire/White LM922-502 2-ply 1/16"	Light Blue/White LM922-562 2-ply 1/16"	Patriot Blue/White LM922-552 2-ply 1/16"	China Blue/White LM922-382 2-ply 1/16"	Purple/White LM922-582 2-ply 1/16"
White/Crimson LM922-206 2-ply 1/16"	White/Burgundy LM922-226 2-ply 1/16"	White/Sky Blue LM922-205 2-ply 1/16"	White/Bright Green LM922-209 2-ply 1/16"	White/Pine Green LM922-269 2-ply 1/16"	White/Black LM912-204 2-ply 1/32" LM922-204 2-ply 1/16" LM942-204 2-ply 1/8" LM943-204 3-ply 1/8"	Ivory/Dark Brown LM922-228 2-ply 1/16"
Almond/Black LM922-854 2-ply 1/16"	Light Grey/Burgundy LM922-326 2-ply 1/16"	Light Grey/Marine Blue LM922-325 2-ply 1/16"	Light Grey/Black LM922-324 2-ply 1/16"	Smoke Grey/White LM922-312 2-ply 1/16"	Med. Brown/White LM922-822 2-ply 1/16"	Dark Brown/White LM922-842 2-ply 1/16"
Black/White LM912-402 2-ply 1/32" LM922-402 2-ply 1/16" LM942-402 2-ply 1/8" LM943-402 3-ply 1/8"	Gloss Black/White LM922-422 2-ply 1/16"	Black/Red LM922-406 2-ply 1/16"	Black/Yellow LM922-407 2-ply 1/16"	Black/Gold LM922-417 2-ply 1/16"	Gloss Black/Gold LM922-427 2-ply 1/16"	Black/Silver LM922-413 2-ply 1/16"
Celestial Blue/Gold LM922-577 2-ply 1/16"	Harbor Grey/White LM922-362 2-ply 1/16"	Port Wine/Gold* LM922-677 2-ply 1/16"	Verde/Gold* LM922-937 2-ply 1/16"	Deep Bronze/Black* LM922-884 2-ply 1/16"	Brushed Bronze/Black* LM922-874 2-ply 1/16"	Brushed Bronze/White* LM922-872 2-ply 1/16"
Rose Gold/Black* LM922-684 2-ply 1/16"	Brushed Gold/Black* LM912-734 2-ply 1/32" LM922-734 2-ply 1/16" LM942-734 2-ply 1/8"	European Gold/Black* LM912-754 2-ply 1/32" LM922-754 2-ply 1/16" LM942-754 2-ply 1/8"	Smooth Gold/Black* LM912-714 2-ply 1/32" LM922-714 2-ply 1/16" LM942-714 2-ply 1/8"	Br. Aluminum/Black* LM912-354 2-ply 1/32" LM922-354 2-ply 1/16" LM942-354 2-ply 1/8"	Brushed Silver/Black* LM912-334 2-ply 1/32" LM922-334 2-ply 1/16" LM942-334 2-ply 1/8"	Smooth Silver/Black* LM912-344 2-ply 1/32" LM922-344 2-ply 1/16" LM942-344 2-ply 1/8"
Digicam Std. Issue/White LM922-982 2-ply 1/16"	Digicam Green/White LM922-922 2-ply 1/16"	Digicam Desert Storm/Black LM922-844 2-ply 1/16"	Digicam Pink/Black LM922-694 2-ply 1/16"	Digicam Air Force Blue/White LM922-532 2-ply 1/16"	Digicam Navy/White LM922-592 2-ply 1/16"	Digicam Special Ops/White LM922-372 2-ply 1/16"

Cashew/ Dark Brown	Cashew/ Taupe	Cashew/ Black	Cinnamon Stick/Ash	Cinnamon Stick/White	Kona/ Ash	Kona/ White
LM922-188 2-ply 1/16"	LM922-138 2-ply 1/16"	LM922-134 2-ply 1/16"	LM922-022 2-ply 1/16"	LM922-222 2-ply 1/16"	LM922-082 2-ply 1/16"	LM922-012 2-ply 1/16"

TECHNICAL SPECIFICATIONS

*Some LaserMax® foils are not recommended for applications in which UV stability is a requirement.

*LaserMax® metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine & Harbor Grey*
23-1/2" x 49" // 597mm x 1245mm
Kona/Ash & Kona/White*
23-5/8" x 49" // 600mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior/exterior signage
Personal identification
Trophies, awards & plaques

Capabilities

Bevels	Bonds	Drills
Heat bendable	Hot stamps	Laser vector cuts
Permits fine detail engraving	UV stable	Saws
Scores	Screen prints	Shears
Silk screens	UV stable	UV-printable

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

LASERMAX® REVERSE LIGHT BLOCKERS **NEW**



Matte/ Smooth Silver	Matte/ Black	Matte/ Dark Brown	Matte/ White	Matte/ Grey	Matte/ Sky Blue	Matte/ Crimson
LM922-341 2-ply 1/16"	LM922-401 2-ply 1/16"	LM922-841 2-ply 1/16"	LM922-201 2-ply 1/16"	LM922-301 2-ply 1/16"	LM922-511 2-ply 1/16"	LM922-601 2-ply 1/16"
Matte/ Canary	Matte/ Br. Aluminum	Matte/ Br. Stainless Steel	Matte/ Br. Deep Bronze	Matte/ Br. Copper	Matte/ Br. Antique Gold	
LM922-701 2-ply 1/16"	LM922-351 2-ply 1/16"	LM922-361 2-ply 1/16"	LM922-881 2-ply 1/16"	LM922-861 2-ply 1/16"	LM922-761 2-ply 1/16"	

TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic for reverse engraving

Finish

Matte non-glare
Gloss available upon request

Sheet Size

24-1/8" x 48-3/4"
613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signs
Exterior signs
ADA compliant/tactile signs
Safety signs
Badges
Control panels

Capabilities

Laser vector cuts	Bonds	Paint/color-fill
Screen prints	Hot-Stamp	UV print receptive
Fine detail	UV Stable	
Back-lighting	Shears	
Saws	Drills	
Bevels	Heat bendable/formable	

METALGRAPH PLUS®



Br. Stainless Steel/Black	Br. Copper Penny/Black	Br. Antique Gold/Black	Br. Bright Nickel/Black	Br. Stainless Steel/Red	Br. Stainless Steel/Blue	Br. Antique Gold/Red
MP912-314 2-ply 1/32" MP922-314 2-ply 1/16" MP942-314 2-ply 1/8"	MP912-864 2-ply 1/32" MP922-864 2-ply 1/16" MP942-864 2-ply 1/8"	MP912-764 2-ply 1/32" MP922-764 2-ply 1/16" MP942-764 2-ply 1/8"	MP912-364 2-ply 1/32" MP922-364 2-ply 1/16" MP942-364 2-ply 1/8"	MP912-316 2-ply 1/32" MP922-316 2-ply 1/16" MP942-316 2-ply 1/8"	MP912-315 2-ply 1/32" MP922-315 2-ply 1/16" MP942-315 2-ply 1/8"	MP912-766 2-ply 1/32" MP922-766 2-ply 1/16" MP942-766 2-ply 1/8"
Br. Antique Gold/Blue	Br. Antique Gold/Gold	Br. Stainless Steel/Silver	Textured Copper/Black	Textured Gold/Black	Textured Gold/Gold	Textured Nickel/Black
MP912-765 2-ply 1/32" MP922-765 2-ply 1/16" MP942-765 2-ply 1/8"	MP922-767 2-ply 1/16" MP942-767 2-ply 1/8"	MP922-313 2-ply 1/16" MP942-313 2-ply 1/8"	MP822-864 2-ply 1/16"	MP822-764 2-ply 1/16"	MP822-767 2-ply 1/16"	MP822-364 2-ply 1/16"

Textured Stainless Steel/Silver
MP822-313 2-ply 1/16"

TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic

Finish

Brushed metal
Textured

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.003" // 0.08mm

Usage













Industrial tags
Interior/exterior signage
Outdoor weatherable
Personal identification
Photo laser engraving
Trophies, awards & plaques

Capabilities

Bevels	Bonds
Drills	Heat bendable
Hot stamps	Laser vector cuts
Saws	Scores
Screen prints	Shears
Thermal prints	UV stable

THE NATURALS NEW







 TN922-422 2-ply 1/16" TN942-422 2-ply 1/8"	 TN922-424 2-ply 1/16" TN942-424 2-ply 1/8"	 TN922-822 2-ply 1/16" TN942-822 2-ply 1/8"	 TN922-828 2-ply 1/16" TN942-828 2-ply 1/8"	 TN922-323 2-ply 1/16" TN942-323 2-ply 1/8"	 TN922-324 2-ply 1/16" TN942-324 2-ply 1/8"	 TN922-412 2-ply 1/16" TN942-412 2-ply 1/8"
 TN922-414 2-ply 1/16" TN942-414 2-ply 1/8"	 TN922-312 2-ply 1/16" TN942-312 2-ply 1/8"	 TN922-313 2-ply 1/16" TN942-313 2-ply 1/8"	 TN922-818 2-ply 1/16" TN942-818 2-ply 1/8"	 TN922-814 2-ply 1/16" TN942-814 2-ply 1/8"	 TN922-212 2-ply 1/16" TN942-212 2-ply 1/8"	 TN922-214 2-ply 1/16" TN942-214 2-ply 1/8"
 TN922-192 2-ply 1/16" TN942-192 2-ply 1/8"	 TN922-194 2-ply 1/16" TN942-194 2-ply 1/8"	 TN922-162 2-ply 1/16" TN942-162 2-ply 1/8"	 TN922-168 2-ply 1/16" TN942-168 2-ply 1/8"	 TN922-172 2-ply 1/16" TN942-172 2-ply 1/8"	 TN922-178 2-ply 1/16" TN942-178 2-ply 1/8"	 TN922-022 2-ply 1/16" TN942-022 2-ply 1/8"
 TN922-028 2-ply 1/16" TN942-028 2-ply 1/8"	 TN922-134 2-ply 1/16" TN942-134 2-ply 1/8"	 TN922-138 2-ply 1/16" TN942-138 2-ply 1/8"				

TECHNICAL SPECIFICATIONS

Material Microsurfaced impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Architectural signage Craft and artistry projects Exterior signage Personalization Signage or award components	Capabilities Bevels Heat bendable Saws Shears	Bonds Hot stamps Scores UV stable	Drills Laser vector cuts Screen prints Permits fine detail engraving
Finish Textured	Engraving Depth .003" // 0.08mm				


ULTRAGRAVE™ MATTE



 UG662-602 2-ply .010" UG602-602 2-ply .020" UG922-602 2-ply 1/16"	 UG922-604 2-ply 1/16"	 UG922-637 2-ply 1/16"	 UG922-862 2-ply 1/16"	 UG922-882 2-ply 1/16"	 UG922-622 2-ply 1/16"	 UG922-627 2-ply 1/16"
 UG922-612 2-ply 1/16"	 UG922-614 2-ply 1/16"	 UG662-704 2-ply .010" UG602-704 2-ply .020" UG922-704 2-ply 1/16"	 UG602-932 2-ply .020" UG922-932 2-ply 1/16"	 UG922-912 2-ply 1/16"	 UG922-992 2-ply 1/16"	 UG922-993 2-ply 1/16"
 UG922-997 2-ply 1/16"	 UG922-942 2-ply 1/16"	 UG662-512 2-ply .010" UG602-512 2-ply .020" UG922-512 2-ply 1/16"	 UG922-532 2-ply 1/16"	 UG922-592 2-ply 1/16"	 UG602-597 2-ply .020" UG922-597 2-ply 1/16"	 UG922-552 2-ply 1/16"
 UG922-557 2-ply 1/16"	 UG922-802 2-ply 1/16"	 UG922-854 2-ply 1/16"	 UG922-832 2-ply 1/16"	 UG662-204 2-ply .010" UG602-204 2-ply .020" UG922-204 2-ply 1/16"	 UG602-201 2-ply .020" UG922-201 2-ply 1/16"	 UG922-206 2-ply 1/16"



ULTRAGRAVE™ SATIN



TECHNICAL SPECIFICATIONS

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Satin grain
Gloss ■

Sheet Size

24-1/8" x 48-3/4" //
613mm x 1238mm

Engraving Depth

.005" // 0.13mm

Usage

Industrial, automotive and
electronic labeling
Interior/exterior signage
Personal identification
Safety signage
Trophies, awards & plaques


Capabilities

180° max temp
Braille-engravable
Flexible
Laser vector cuts
Scratch resistant
UV stable

Bevels
Break resistant
Heat bendable
Saws
Screen prints
Permits fine detail engraving

Bonds
Drills
Hot stamps
Scores
Shears

LASERMAG



TECHNICAL SPECIFICATIONS

Material

Microsurfaced *exible magnetic material

Finish

Brushed metal
Grain
Gloss ■

Sheet Size

12" x 24" (305 x 610mm)

Engraving Depth

0.004" // 0.10mm
Not recommended for rotary engraving

Usage

Promotional magnets
Repositionable nameplates

Capabilities

Ink prints
Outdoor weatherable
Shears
Permits fine detail engraving

Laser vector cuts
Scores
UV stable

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

LASERMARK®

NEW



 922-602 2-ply .052"	 922-607 2-ply .052"	 922-704 2-ply .052"	 922-932 2-ply .052"	 922-912 2-ply .052"	 922-502 2-ply .052"	 922-512 2-ply .052"
 922-517 2-ply .052"	 922-552 2-ply .052"	 922-228 2-ply .052"	 922-822 2-ply .052"	 922-842 2-ply .052"	 922-206 2-ply .052"	 922-205 2-ply .052"
 922-204 2-ply .052"	 922-322 2-ply .052"	 922-312 2-ply .052"	 922-402 2-ply .052"	 922-422 2-ply .052"	 922-407 2-ply .052"	 922-417 2-ply .052"
 922-427 2-ply .052"	 922-677 2-ply .052"	 922-937 2-ply .052"	 922-577 2-ply .052"	 922-152 2-ply .052"	 922-002 2-ply .052"	 922-172 2-ply .052"
 922-192 2-ply .052"	 922-684 2-ply .052"	 922-714 2-ply .052"	 922-734 2-ply .052"	 922-754 2-ply .052"	 922-354 2-ply .052"	 922-334 2-ply .052"

922-344 2-ply .052"

TECHNICAL SPECIFICATIONS

* LaserMark metals are available with NoMark® Plus finish by adding "0+" to the end of the item code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine
23-1/2" x 49" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Permits fine detail engraving
Personal identification
Trophies, awards & plaques

Capabilities

Bevels
Drills
Hot stamps
Saws
Screen prints
UV-printable

Bonds
Heat bendable
Laser vector cuts
Scores
Shears

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

FLEXBRASS® & FLEXCOLOR®

NEW



 602-677 2-ply .020"	 602-672 2-ply .020"	 602-937 2-ply .020"	 602-577 2-ply .020"	 602-572 2-ply .020"	 602-363 2-ply .020"	 602-362 2-ply .020"
 602-735 2-ply .020"	 602-874 2-ply .020"	 602-884 2-ply .020"	 602-684 2-ply .020"	 602-734 2-ply .020"	 602-754 2-ply .020"	 602-794 2-ply .020"
 602-714 2-ply .020"	 602-744 2-ply .020"	 602-512 2-ply .020"	 602-204 2-ply .020"	 602-402 2-ply .020"	 602-417 2-ply .020"	 602-427 2-ply .020"
 602-413 2-ply .020"	 602-602 2-ply .020"	 602-423 2-ply .020"	 602-354 2-ply .020"	 602-334 2-ply .020"	 602-344 2-ply .020"	 602-394 2-ply .020"

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "9" to the end of the six digit code.

Material

Microsurfaced impact acrylic

Finish

Matte non-glare
Brushed metal
Patterned
Gloss ■

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm
Port Wine & Harbor Grey**
23-1/2" x 49" // 597mm x 1245mm

Engraving Depth

.003" // 0.08mm

Usage

Interior signage
Trophies, awards & plaques

Capabilities

Bevels
Hot stamps
Saws
Shears
Permits fine detail engraving

Drills
Laser vector cuts
Scores
UV-printable

Heat bendable
Screen prints

◆ Not recommended for harsh or high humidity indoor or outdoor applications.


LASERLIGHTS




S68-1224 12"x 24" sheet



S61-1224 12"x 24" sheet



S62-1224 12"x 24" sheet
S62-1205 12"x50" rolls




S63-1224 12"x24" sheet
S63-1205 12"x50" rolls



S65-1224 12"x24" sheet
S65-1205 12"x50" rolls




S69-1224 12"x24" sheet



S73-1224 12"x24" sheet




S75-1224 12"x24" sheet
S75-1205 12"x50" rolls



S26-1224 12"x24" sheet



S74-1224 12"x24" sheet



S64-1224 12"x24" sheet
S64-1205 12"x50" rolls

TECHNICAL SPECIFICATIONS

Backed with a .001" (0.03mm) acrylic pressure sensitive adhesive

Material

Microsurfaced pre-adhesive plastic

Finish

Brushed metal
Gloss ■

Sheet Size

12" x 24" (305 x 610mm) sheets
12" x 50" (305mm x 15.24m) roll

Engraving Depth

0.002" // 0.05mm

Gauge

.004" // .10mm

Usage

Industrial, automotive and
electronic labeling
Interior/exterior signage
Personal identification

Capabilities

Bonds
Laser vector cuts
Shears
UV-printable

Drills
Outdoor weatherable
Thermal prints
Permits fine detail engraving

Embosses
Scores
UV stable

◆ Not recommended for harsh or high humidity indoor or outdoor applications.

TEXTURES

NEW



822-642 2-ply 1/16"
842-642 2-ply 1/8"



822-622 2-ply 1/16"



822-662 2-ply 1/16"



822-652 2-ply 1/16"




822-774 2-ply 1/16"



822-778 2-ply 1/16"



822-962 2-ply 1/16"



822-522 2-ply 1/16"




822-992 2-ply 1/16"



822-592 2-ply 1/16"
842-592 2-ply 1/8"




822-503 2-ply 1/16"




822-258 2-ply 1/16"



822-854 2-ply 1/16"




822-892 2-ply 1/16"



822-246 2-ply 1/16"



822-205 2-ply 1/16"



822-244 2-ply 1/16"
842-244 2-ply 1/8"



822-302 2-ply 1/16"



822-374 2-ply 1/16"



822-422 2-ply 1/16"
842-422 2-ply 1/8"

TECHNICAL SPECIFICATIONS

Material

Co-extruded impact acrylic

Finish

Textured

Sheet Size

24-1/8" x 48-3/4" // 613mm x 1238mm

Engraving Depth

.007" // 0.18mm

Acid Yellow, Pimento, Red Clay & Aquamarine
.010" // 0.25mm

Usage

Industrial signage
Industrial tags
Interior/exterior signage
Personal identification
Safety signage

Capabilities

Bevels
Drills
Hot stamps
Outdoor weatherable
Saws
Shears

Bonds
Heat bendable
Laser vector cuts
Permits fine detail engraving
Screen prints
UV stable

ADA ALTERNATIVE® Substrate & Appliqué

NEW

Red 311-601 1-ply 1/32" 321-601 1-ply 1/16" 341-601 1-ply 1/8"	Burgundy 311-602 1-ply 1/32" 321-602 1-ply 1/16" 341-602 1-ply 1/8"	Canyon 311-823 1-ply 1/32" 321-823 1-ply 1/16" 341-823 1-ply 1/8"	Orange 311-603 1-ply 1/32" 321-603 1-ply 1/16" 341-603 1-ply 1/8"	Yellow 311-701 1-ply 1/32" 321-701 1-ply 1/16" 341-701 1-ply 1/8"	Bright Green 311-901 1-ply 1/32" 321-901 1-ply 1/16" 341-901 1-ply 1/8"	Pine Green 311-902 1-ply 1/32" 321-902 1-ply 1/16" 341-902 1-ply 1/8"
Hunter Green 311-991 1-ply 1/32" 321-991 1-ply 1/16" 341-991 1-ply 1/8"	Black Forest Green 311-903 1-ply 1/32" 321-903 1-ply 1/16" 341-903 1-ply 1/8"	Bahama Blue 311-509 1-ply 1/32" 321-509 1-ply 1/16" 341-509 1-ply 1/8"	Blue 311-501 1-ply 1/32" 321-501 1-ply 1/16" 341-501 1-ply 1/8"	Sapphire 311-506 1-ply 1/32" 321-506 1-ply 1/16" 341-506 1-ply 1/8"	Light Blue 311-571 1-ply 1/32" 321-571 1-ply 1/16" 341-571 1-ply 1/8"	Coastal Blue 311-521 1-ply 1/32" 321-521 1-ply 1/16" 341-521 1-ply 1/8"
China Blue 311-302 1-ply 1/32" 321-302 1-ply 1/16" 341-302 1-ply 1/8"	Slate 311-321 1-ply 1/32" 321-321 1-ply 1/16" 341-321 1-ply 1/8"	Marine Blue 311-502 1-ply 1/32" 321-502 1-ply 1/16" 341-502 1-ply 1/8"	Air Force Blue 311-504 1-ply 1/32" 321-504 1-ply 1/16" 341-504 1-ply 1/8"	Ultra Violet 311-581 1-ply 1/32" 321-581 1-ply 1/16" 341-581 1-ply 1/8"	Antique Ivory 311-801 1-ply 1/32" 321-801 1-ply 1/16" 341-801 1-ply 1/8"	Sand 311-808 1-ply 1/32" 321-808 1-ply 1/16" 341-808 1-ply 1/8"
Ash 311-214 1-ply 1/32" 321-214 1-ply 1/16" 341-214 1-ply 1/8"	Parchment 311-811 1-ply 1/32" 321-811 1-ply 1/16" 341-811 1-ply 1/8"	Sandalwood 311-218 1-ply 1/32" 321-218 1-ply 1/16" 341-218 1-ply 1/8"	White 311-201 1-ply 1/32" 321-201 1-ply 1/16" 341-201 1-ply 1/8" 391-201 1-ply 1mm	Bright White 311-204 1-ply 1/32" 321-204 1-ply 1/16" 341-204 1-ply 1/8" 391-204 1-ply 1mm	Light Grey 311-305 1-ply 1/32" 321-305 1-ply 1/16" 341-305 1-ply 1/8"	Pearl Grey 311-306 1-ply 1/32" 321-306 1-ply 1/16" 341-306 1-ply 1/8"
Desert Sand 311-851 1-ply 1/32" 321-851 1-ply 1/16" 341-851 1-ply 1/8"	Driftwood 311-595 1-ply 1/32" 321-595 1-ply 1/16" 341-595 1-ply 1/8"	Grey Flannel 311-331 1-ply 1/32" 321-331 1-ply 1/16" 341-331 1-ply 1/8"	Grey 311-301 1-ply 1/32" 321-301 1-ply 1/16" 341-301 1-ply 1/8"	Silver Grey 311-308 1-ply 1/32" 321-308 1-ply 1/16" 341-308 1-ply 1/8"	Charcoal Grey 311-307 1-ply 1/32" 321-307 1-ply 1/16" 341-307 1-ply 1/8"	Cinder 311-413 1-ply 1/32" 321-413 1-ply 1/16" 341-413 1-ply 1/8"
Beige 311-831 1-ply 1/32" 321-831 1-ply 1/16" 341-831 1-ply 1/8"	Candlewick 311-805 1-ply 1/32" 321-805 1-ply 1/16" 341-805 1-ply 1/8"	Putty 311-806 1-ply 1/32" 321-806 1-ply 1/16" 341-806 1-ply 1/8"	Taupe 311-802 1-ply 1/32" 321-802 1-ply 1/16" 341-802 1-ply 1/8"	Dark Brown 311-803 1-ply 1/32" 321-803 1-ply 1/16" 341-803 1-ply 1/8"	Med. Brown 311-821 1-ply 1/32" 321-821 1-ply 1/16" 341-821 1-ply 1/8"	Black 311-401 1-ply 1/32" 321-401 1-ply 1/16" 341-401 1-ply 1/8" 391-401 1-ply 1mm
Copper 311-891 1-ply 1/32" 321-891 1-ply 1/16" 341-891 1-ply 1/8"	Deep Bronze 311-871 1-ply 1/32" 321-871 1-ply 1/16" 341-871 1-ply 1/8"	Gold 311-771 1-ply 1/32" 321-771 1-ply 1/16" 341-771 1-ply 1/8"	Silver 311-304 1-ply 1/32" 321-304 1-ply 1/16" 341-304 1-ply 1/8"	Graphite 311-398 1-ply 1/32" 321-398 1-ply 1/16" 341-398 1-ply 1/8"	Clear 311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"	

TECHNICAL SPECIFICATIONS

Available with or without adhesive. To order with adhesive, add an "8" to the end of the six digit code.

Material Single-ply modified acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior/exterior signage Tactile signage Appliqué	Capabilities Bevels Drills Laser vector cuts Scores UV stable	Bonds Heat bendable Outdoor weatherable Screen prints UV-printable	Braille-engravable Hot stamps Saws Shears
Finish Matte non-glare	Cutting 1/32" Tactile Letters 1/4" round & .020" tip at 20°- 25° angle				

REVERSE LASERMARK®

Matte/ Red 922-601 2-ply 1/16"	Matte/ Burgundy 922-621 2-ply 1/16"	Matte/ Ribbon Pink 922-661 2-ply 1/16"	Matte/ Yellow 922-701 2-ply 1/16"	Matte/ Bright Green 922-931 2-ply 1/16"	Matte/ Blue 922-511 2-ply 1/16"	Matte/ Navy Blue 922-551 2-ply 1/16"
--	---	--	---	---	---	--

